

Referencer til 'guldkorn' i Dansk Sportsmedicin nr. 2, 2014:

“Tendinopathy”

Af professor Jill Cook, Monash University, Australia

1. Cook, J, et al. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *British journal of sports medicine*. 2009;43(6):409-16.
2. Cook, J, et al. Is compressive load a factor in the development of tendinopathy? *British Journal of Sports Medicine*. 2012;46(3):163-8.
3. Kountouris, A, et al. Rehabilitation of Achilles and patellar tendinopathies. *Best Practice and Research Clinical Rheumatology*. 2007 Apr 1;21(2):295-316.
4. Kujala, UM, et al. Cumulative incidence of achilles tendon rupture and tendinopathy in male former elite athletes. *Clinical Journal Of Sport Medicine*. 2005 2005/05//;15(3):133-5.
5. September, A, et al. The association of a polymorphism within the COL5A1 gene and Achilles tendon injury in a second Caucasian population. *British Journal of Sports Medicine*. 2008;In Press.
6. Cook, JL, et al. Patellar tendon ultrasonography in asymptomatic active athletes reveals hypoechoic regions: A study of 320 tendons. Victorian Institute of Sport Tendon Study Group. *Clinical Journal of Sport Medicine*. 1998;8(2):73-7.
7. Cook, JL, et al. Hormone therapy is associated with smaller Achilles tendon diameter in active post-menopausal women. *Scandinavian Journal Of Medicine & Science In Sports*. 2007;17(2):128-32.
8. Gaida, J, et al. Dyslipidaemia in Achilles tendinopathy is characteristic of insulin resistance. *Medicine and Science in Sport and Exercise* 2009;41(6):1194-7.
9. Beeharry, D, et al. Familial hypercholesterolaemia commonly presents with Achilles tenosynovitis. *Annals Of The Rheumatic Diseases*. 2006;65(3):312-5.
10. Malliaras, P, et al. Reduced ankle dorsiflexion range may increase the risk of patellar tendon injury among volleyball players. *Journal of Science and Medicine in Sport*. 2006;9(4):304-9.