

Referenceliste til artikel i Dansk Sportsmedicin nr. 4, 2014:

"Nye perspektiver og opdatering af viden om styrketræning til børn og unge"

Af Lone Hansen, cand.scient., PhD

Behringer M, Vom Heede A, Matthews M, Mester J. Effects of strength training on motor performance skills in children and adolescent: A meta-analysis. *Pediatrc Exerc Sci* 2011; 23: 186-206.

Behringer M, vom Heede A, Yue Z, Mester J. Effects of resistance training in children and adolescent: A meta-analysis. *Pediatrics* 2010; 126:e1199-e1210.

Biddle SJ, Pearson N, Ross GM, Braithwaite R. Tracking of sedentary behaviours of young people: a systematic review. *Preventive Medicine*. 2010; 51(5): 345-351.

Dotan R, Mitchell C, Chohen R, Klentrou P, Gabriel D, Falk B. Child-adult differences in muscle activation – a review. *Pediatr Exerc Sci*. 2012; 24:2-21.

Expert Panel on Integrated Guidelines for Cardiovascular Health and Risk Reduction in Children and Adolescent. Expert panel on integrated guidelines for cardiovascular health and risk reduction in children and adolescent: Summary report. *Pediatrics*. 2011; 128:s213-s256.

Faigenbaum AD, Farrell A, Fabiano M. et al. Effects of detraining on fitness performance in 7-year old children. *J Strength Cond Res*, 2013; 27:323-330.

Faigenbaum AD, Myer G. Resistance training among young athletes: Safety, efficacy and injury prevention effects. *Br J Sports Med*; 2010: 44:56-63.

Faigenbaum AD, Myer G. Exercise deficit disorder in youth: Play now or pay later. *Curr Sports Med Rep* 2012; 11:196-200.

Faigenbaum AD, Lloyd RS, Myer DG. Youth resistance training: Past practices, new perspectives, and future directions. *Ped Exec Sci*, 2013; 25:591-604

Gunter KB, Almstedt HC, Janz KF. Physical activity in childhood may be the key to optimizing lifespan skeletal health. *Exerc Sport Sci Rev*. 2012; 40:13-21.

Hands B. Changes in motor skill and fitness measures among children with high and low motor competence: A five year longitudinal study. *J Sci Med Sport*. 2008; 11:155-162

Hardy LL, Reinten-Reynolds T, Espinel P, Zack A, Okely AD. Prevalence and correlates of low fundamental movement skill competency in children. *Pediatrics*. 2012. 130:e390-e398.

Lloyd R, Faigenbaum A, Myer G, Stone MH, Oliver JL, Jeffreys I, Moody J, Brewer C, Pierce K. UKSCA position statement: Youth resistance training. *Prof Strength Cond*. 2012; 26:26-39.

Lloyd R, Oliver J. The Youth physical development model: A new approach to long-term athletic development. *Strength Cond J.* 2012; 34:61-72.

Meinhardt U, Witassek F, Petro R, Fritz C and Eiholzer U. Strength training and physical activity in boys: a randomized trial. *Pediatrics* 2013; 132:1105-1111.

Myer GD, Faigenbaum AD, Chu D et al. Integrative training for children and adolescents: techniques and practices for reducing sports-related injuries and enhancing athletic performance. *Phys Sportsmed.* 2011; 39:74-84.

Myer GD, Faigenbaum AD, Ford K, Best T, Bergeron M, Hewett T. When to initiate integrative neuromuscular training to reduce sports-related injuries and enhance health in youth? *Curr Sports Med Rep.* 2011; 10:155-166.

SST. Fysik aktivitet Håndbog om forebyggelse og behandling. Del 2 – fysisk aktivitet som primær forebyggelse. Sundhedsstyrelsen, 2011, E-ISBN 978-87-7104-330-3

Tveter AT and Holm I. Influence of thigh muscle strength and balance on hop length in one-legged hopping in children aged 7-12 years. *Gait Posture.* 2010; 32:259-262.

World health Organization. Global Recommendations on Physical Activity for Health. Geneva: WHO Press, 2010