

Referencer til artikel i Dansk Sportsmedicin nr. 4, 2014:

"Akillesseneruptur"

Case om postoperativ genoptræning - tidlig mobilisering og vægtbærings betydning for senelængden

Uddrag af eksamensopgave fra modulet "Undersøgelse og rehabilitering af muskel-seneskader i relation til idræt" udbudt af FFI og SDU efteråret 2013

Af Anne-Sofie Andersen, PT, cand.scient.fys, Institut for Idrætsmedicin og Forskningsenhed for Muskuloskeletal Rehabilitering, Bispebjerg Hospital.

1. Arner O, Lindholm A. Subcutaneous rupture of the Achilles tendon; a study of 92 cases. *Acta Chir Scand Suppl.* 1959;116 (supp 239):1-51.
2. Schepsis A, Jones H, Haas A. Achilles tendon disorders in athletes. *Am J Sports Med.* 2002;30(2):287-305.
3. Komi P, Fukashiro S, Jarvinen M. Biomechanical loading of Achilles tendon during normal locomotion. *Clin Sports Med.* 1992;11(3):521-31.
4. Maffulli N, Almekinders L. The Achilles tendon. London: Springer; 2007.
5. Józsa L, Kannus P. Human tendons: Anatomy, physiology, and pathology. Champaign, Ill.: Human Kinetics; 1997.
6. Hess G. Achilles tendon rupture: a review of etiology, population, anatomy, risk factors, and injury prevention. *Foot Ankle Spec.* 2010;3 (1):29-32.
7. Leppilahti J, J P, Orava S. Incidence of Achilles tendon rupture. *Acta Orthop Scand.* 1996;67(3):277-9.
8. Maffulli N, Waterston S, Reaper J, AS D. Changing Incidence of Achilles Tendon Rupture in Scotland: A 15-Year Study. *Clin J Sport Med.* 1999;9(3):157-60.
9. Nyyssonen T, P L, Kroger H. The increasing incidence and difference in sex distribution of Achilles tendon rupture in Finland in 1987-1999. *Scand J Surg.* 2008;97(3):272-5.
10. Houshian S, T T, Riegels-Nielsen P. The epidemiology of Achilles tendon rupture in a Danish county. *Injury.* 1998;29(9):651-4.
11. Möller A, Astron M, Westlin N. Increasing incidence of Achilles tendon rupture. *Acta Orthop Scand.* 1996;67(5):479-81.
12. Maffulli N. Current Concepts Review - Rupture of the Achilles tendon. *J Bone Joint Surg Am.* 1999;81:1019-36.
13. Khan R, Carey-Smith R. Surgical interventions for treating acute Achilles tendon ruptures. The Cochrane database of systematic reviews. 2010;9:CD003674.
14. Barfod K, Nielsen F, Helander K, Mattila V, Tingby O, Boesen A, et al. Treatment of acute Achilles tendon rupture in Scandinavia does not adhere to evidence-based guidelines: a cross-sectional questionnaire-based study of 138 departments. *J Foot Ankle Surg.* 2013;52(5):629-33.
15. Jiang N, Wang B, Chen A, Dong F, Yu B. Operative versus nonoperative treatment for acute Achilles tendon rupture: a meta-analysis based on current evidence. *Int Orthop.* 2012;36(4):765-73.
16. Soroceanu A, Glazebrook M, Sidhwa F, Aarabi S, Kaufman A. Surgical versus nonsurgical treatment of acute achilles tendon rupture: A meta-analysis of randomized trials. *J Bone Joint Surg Am.* 2012;94(23):2136-43.

17. Van der Eng D, Schepers T, Goslings J, Schep N. Rupture rate after early weightbearing in operative versus conservative treatment of achilles tendon ruptures: A meta-analysis. *J FootAnkle Surg.* 2013;52(5):622-8.
18. Costa M, MacMillan K, Halliday D, Chester R, Shepstone L, Robinson A, et al. Randomised controlled trials of immediate weight-bearing mobilisation for rupture of the tendo Achillis. *J Bone Joint Surg Br.* 2006;88(1):69-77.
19. Nilsson-Helander K, Silbernagel K, Thomee R, Faxen E, Olsson N, Eriksson B, et al. Acute achilles tendon rupture: a randomized, controlled study comparing surgical and nonsurgical treatments using validated outcome measures. *Am J Sports Med.* 2010;38(11):2186-93.
20. Olsson N, Nilsson-Helander K, Karlsson J, Eriksson B, Thomee R, Faxen E, et al. Major functional deficits persist 2 years after acute Achilles tendon rupture. *Knee Surg Sports Traumatol Arthrosc.* 2011;19(8):1385-93.
21. Mullaney M, McHugh M, Tyler T, Nicholas S, Lee S. Weakness in end-range plantar flexion after Achilles tendon repair. *Am J Sports Med.* 2006;34(7):1120-5.
22. Holm C, Kjaer M, Eliasson P. Achilles tendon rupture - treatment and complications: A systematic review. *Scand J Med Sci Sports.* 2014;20.
23. Silbernagel K, Steele R, Manal K. Deficits in heel-rise height and achilles tendon elongation occur in patients recovering from an Achilles tendon rupture. *Am J Sports Med.* 2012;40(7):1564-71.
24. Kangas J, Pajala A, Ohtonen P, Leppilahti J. Achilles tendon elongation after rupture repair: a randomized comparison of 2 postoperative regimens. *Am J Sports Med.* 2007;35 (1):59-64.
25. Nyström B, Holmlund D. Separation of tendon ends after suture of achilles tendon. *Acta Orthop Scand.* 1983;54:620-1.
26. Mortensen N, Saether J, Steinke M, Staehr H, Mikkelsen S. Separation of tendon ends after Achilles tendon repair: a prospective, randomized, multicenter study. *Orthopedics.* 1992;15(8):899-903.
27. Schepull T, Kvist J, Aspenberg P. Early E-modulus of healing Achilles tendons correlates with late function: similar results with or without surgery. *Scand J Med Sci Sport.* 2012;22(1):18-23.
28. Andersson T, Eliasson P, Aspenberg P. Tissue memory in healing tendons: short loading episodes stimulate healing. *J Appl Physiol.* 2009;107(2):417-21.
29. Kannus P, Jozsa L. Histopathological changes preceding spontaneous rupture of a tendon. A controlled study of 891 patients. *J Bone Joint Surg Am.* 1991;73(10):1507-25.
30. Arnoczky S, Lavagnino M, Egerbacher M. The mechanobiological aetiopathogenesis of tendinopathy: is it the over-stimulation or the under-stimulation of tendon cells? *Int J Exp Path.* 2007;88:217-26.
31. Magnusson S, Langberg H, Kjaer M. The pathogenesis of tendinopathy: balancing the response to loading. *Nat Rev Rheumatol.* 2010;6(5):262-8.
32. Eliasson P, Andersson T, Aspenberg P. Rat Achilles tendon healing: mechanical loading and gene expression. *J Appl Physiol.* 2009;107(2):399-407.
33. Schepull T, Aspenberg P. Early controlled tension improves the material properties of healing human achilles tendons after ruptures: a randomized trial. *Am J Sports Med.* 2013;41(11):2550-7.
34. Kearney R, McGuinness K, Achten J, Costa M. A systematic review of early rehabilitation methods following a rupture of the Achilles tendon. *Physiotherapy.* 2012;98(1):24-32.

35. Suchak A, Spooner C, Reid D, Jomha N. Postoperative rehabilitation protocols for Achilles tendon ruptures: a meta-analysis. *Clin Orthop Relat Res.* 2006;445:216-21.
36. Sharma P, Maffulli N. Tendon injury and tendinopathy: healing and repair. *J Bone Joint Surg Am.* 2005;87(1):187-202.
37. Andersson T, Eliasson P, Hammerman M, Sandberg O, Aspenberg P. Low-level mechanical stimulation is sufficient to improve tendon healing in rats. *J Appl Physiol.* 2012;113(9):1398-402.
38. Suchak A, Bostick G, Beaupre L, Durand D, Jomha N. The influence of early weight-bearing compared with non-weight-bearing after surgical repair of the Achilles tendon. *J Bone Joint Surg Am* 2008;90(9):1876-83.
39. Hinterwimmer S, Krammer M, Krotz M, Glaser C, Baumgart R, Reiser M, et al. Cartilage atrophy in the knees of patients after seven weeks of partial load bearing. *Arthritis Rheum.* 2004;50(8):2516-20.
40. Akizuki K, Gartman E, Nisonson B, Ben-Avi S, McHugh M. The relative stress on the Achilles tendon during ambulation in an ankle immobiliser: implications for rehabilitation after Achilles tendon repair. *Br J Sports Med.* 2001;35(5):329-33.
41. Voleti P, MR B, Soslowky L. Tendon healing: repair and regeneration. *Annu Rev Biomed Eng* 2012;14.47:47-71.
42. Maquirriain J. Achilles tendon rupture: avoiding tendon lengthening during surgical repair and rehabilitation. *Yale J of Biol Med.* 2011;84:289-300.
43. Schepull T, Kvist JF, Andersson C, Aspenberg P. Mechanical properties during healing of Achilles tendon ruptures to predict final outcome: a pilot Roentgen stereophotogrammetric analysis in 10 patients. *BMC Musculoskelet Disord.* 2007;8:116:1-11.
44. Silbernagel K, Willy R, Davis I. Preinjury and postinjury running analysis along with measurements of strength and tendon length in a patient with a surgically repaired Achilles tendon rupture. *J Orthop Sports Phys Ther.* 2012;42(6):521-9.
45. Silbernagel K, Nilsson-Helander K, Thomee R, Eriksson B, Karlsson J. A new measurement of heel-rise endurance with the ability to detect functional deficits in patients with Achilles tendon rupture. *Knee Surg Sports Traumatol Arthrosc.* 2010;18(2):258-64.