

Referencer til artikel i Dansk Sportsmedicin nr. 3, 2006:

”Astma og svømning”

Af V. Backer, T. Lund, L. Pedersen, Lungemedicinsk Forskningsenhed, Lungemedicinsk Klinik L, Københavns Universitet, HS Bispebjerg Hospital, Danmark

1. Sly RM. Changing prevalence of allergic rhinitis and asthma. *Ann Allergy Asthma Immunol* 1999; 82: 233-248.
2. Weiler et al., Asthma in United States Olympic athletes who participated in the 1996 summer games. *J Allergy Clin Immunol* 1998; 102: 722-726.
3. Sue-Chu et al., Lymphoid aggregates in endobronchial biopsies from young elite cross-country skiers. *Am J Respir Crit Care Med* 1998; 158: 597-601.
4. Corrigan B, Kazlauskas R. Medication use in athletes selected for doping control at the Sydney Olympics (2000). *Clin J Sport Med* 2003; 13:33-40.
5. Karjalainen E-M, Laitinen A, Sue-Chu M, Altraja A, Bjermer L, Laitinen LA. Evidence of airway inflammation and remodeling in ski athletes with and without bronchial hyperresponsiveness to methacholine. *Am J Respir Crit Care Med* 2000; 161: 2086-2091.
6. Lumme A, Haahtela T, Öunap J, Ryttilä P, Obasa Y, Helenius M, Remes V, Helenius I. Airway inflammation, bronchial hyperresponsiveness and asthma in elite ice hockey players. *Eur Respir J* 2003; 22: 113-117.
7. Helenius et al., Asthma and increased bronchial responsiveness in elite athletes: Atopy and sport event as risk factors. *J Allergy Clin Immunol* 1998; 101: 646-652.
8. Weisgerber MC, Guill M, Weisgerber JM, Butler H. Benefits of swimming in asthma: effect of a session of swimming lessons on symptoms and PTFs with review of the literature. *J Asthma* 2003; 40: 453-64.
9. Anderson SD, Sue-Chu M, Perry CP, Gratzion C, Kippelen P, McKenzie DC, Beck KC, Fitch KD. Bronchial challenges in athletes applying to inhaled a beta2-agonist at the 2004 summer Olympic. *J Allergy Clin Immunol* 2006; 117: 767-73.
10. Anderson SD, Daviskas E. The mechanism of exercise-induced asthma is *J Allergy Clin Immunol* 2000; 106: 453-459.
11. Anderson SD, Holzer K. Exercise-induced asthma: is it the right diagnosis in elite athletes. *J Allergy Clin Immunol* 2000; 106: 419-428.
12. Sue-Chu M, Larsson L, Moen T, Rennard SI, Bjermer. Bronchoscopy and bronchoalveolar lavage findings in cross-country skiers with and without “ski asthma”. *Eur Respir J* 1999; 13: 626-632.
13. Sue-Chu M, Karjalainen E-M, Altraja A, Laitinen A, Laitinen LA, Næss AB, Larsson L, Bjermer L. Lymphoid aggregates in endobronchial biopsies from young elite cross-country skiers. *Am J Respir Crit Care Med* 1998; 158: 597-601.
14. Freed AN. Experimental models of exercise-induced asthma. In: *Exercise-induced asthma*, ER McFadden Jr. (Ed.). New York: Marcel Dekker, Inc., 1999, 319-349.
15. Davis MS, Schofield B, Freed AN. Repeated peripheral airway hyperpnea causes inflammation and remodeling in dogs. *Med Sci Sports Exerc* 2003; 35: 608-616.
16. Welsh L, Kemp JG, Roberts RG. Effects of physical conditioning on children and adolescents with asthma. *Sports Med* 2005; 35: 127-141.
17. Fitch KD, Morton AR, Blanksby BA. Effects of swimming on children with asthma. *Arch Dis Child* 1976; 51: 190-4.

18. Matsumoto I, Araki H, Tsuda K, Odajima H, Nishima S, Higaki Y, Tanaka H, Tanaka M, Shindo M. Effects of swimming training on aerobic capacity and exercise induced bronchoconstriction in children with bronchial asthma. *Thorax* 1999; 54: 190-91.
19. Mustchin CP, Pickering CAC. "Coughing water": bronchial hyperreactivity induced by swimming in a chlorinated pool. *Thorax*. 1979; 34: 682-683.
20. Thickett KM, McCoach JS, Gerber JM, Sadhra S, Burge PS. Occupational asthma caused by chloramines in indoor swimming-pool air. *Eur Respir J* 2002; 19: 827-832.
21. Bonsignori MR, Morici G, Riccobono L, Profita M, Bonanno A, Paterno A, Di Giorgi R, Chimenti L, Abate P, Mirabella F, Vignola AM, Bonsignori G. Airway cells after swimming outdoors or in the sea in nonasthmatic athletes. *Med Sci Sports Exerc* 2003; 35: 1146-1152.
22. Helenius I, Ryttilä P, Sarna S, Lumme A, Helenius M, Remes V, Haahtela T. Effect of continuing or finishing high-level sports on airway inflammation, bronchial hyperresponsiveness, and asthma: A 5-year prospective follow-up study of 42 highly trained swimmers. *J Allergy Clin Immunol* 2002; 109: 962-968.
23. Greenstone IR, Ni Chroinin MN, Masse V, Danish A, Magdalinos H, Zhang X et al. Combination of inhaled long-acting beta2-agonists and inhaled steroids versus higher dose of inhaled steroids in children and adults with persistent asthma. *Cochrane.Database.Syst.Rev.* 2005; 19(4):CD005533.
24. Adams NP, Bestall JC, Lasserson TJ, Jones PW, Cates C. Fluticasone versus placebo for chronic asthma in adults and children. *Cochrane.Database.Syst.Rev.* 2005; 19(4):CD003135.
25. Green RH, Brightling CE, McKenna S, Hargadon B, Neale N, Parker D et al. A randomised comparison of the effects of asthma treatment given in addition to inhaled corticosteroids on airway inflammation and airway responsiveness. *Eur.Respir.J.* 2006;.
26. Riccioni G, Vecchia RD, D'Orazio N, Sensi S, Guagnano MT. Comparison of montelukast and budesonide on bronchial reactivity in subjects with mild-moderate persistent asthma. *Pulm.Pharmacol.Ther.* 2003;16(2):111-4.
27. Busse WW, Casale TB, Dykewicz MS, Meltzer EO, Bird SR, Hustad CM et al. Efficacy of montelukast during the allergy season in patients with chronic asthma and seasonal aeroallergen sensitivity. *Ann.Allergy Asthma Immunol.* 2006;96(1):60-8.
28. Woolley M, Anderson SD, Quigley BM. Duration of protective effect of terbutaline sulphate and cromolyn sodium alone and in combination on exercise-induced asthma, *Chest* 1990; 97: 39-54.
29. Jayaram L et al. Induced sputum cell counts: their usefulness in clinical practice. *Eur Respir J* 2000; 16: 150-158.
30. Fitch KD. The use of anti-asthmatic drugs. Do they affect sports performance. *Sports Med* 1986; 3: 136-150.
31. MacLennan PA, Edwards RH. Effects of clenbutol and propranolol on muscle mass. Evidence that clenbuterol stimulates muscles beta-adrenocetors to induce hypertrophy *Biochem* 1989; 264:573-9.
32. Cartana J, Segues T, Yebras M, Rothwell NJ, Stock MJ. Anabolic effect of clenbuterol after long-term treatment and withdrawal in the rat. *Metabolism* 1994; 43: 1086-92.

33. Norris SR, Petersen SR, Jones RL. The effect of salbutamol on performance in endurance cyclists. *Eur J Appl Physiol Occup Physiol* 1996; 73:364-68.
34. Morton AR, Joyce K, Papalia SM, Carroll NG, Fitch KD. Is salmeterol ergogenic ? *Clin J Sport Med* 1996; 6: 220-5.
35. Goubault C, Perault MC, Leleu E, Bouquet S, Legros P, Vandiel B, Denjean A. Effects of inhaled salbutamol in exercising non-asthmatic athletes. *Thorax* 2001; 56: 675-79.
36. Meeuwisse WH, McKenzie DC, Hopkins SR, Road JD. The effect of salbutamol on performance in elite nonasthmatic athletes. *Med Sci Sports Exerc* 1992; 24:1161-66.
37. Heir T, Stemshaug H. Salbutamol and high-intensity treadmill running in nonasthmatic highly conditioned athletes. *Scand J Med Sci Sports* 1995; 5: 231-36.
38. van Baak MA, de Hon OM, Hartgens F, Kuipers H. Inhaled salbutamol and endurance cycling performance in non-asthmatic athletes. *Int J Sports Med* 2004; 25: 533-8.
39. van Baak MA, Mayer LH, Kempinski RE, Hartgens F. Effect of salbutamol on muscle strength and endurance performance in nonasthmatic men. *Med Sci Sports Exerc* 2000; 32: 1300-6.
40. Sue-Chu M, Sandsund M, Helgerud J, Reinertsen RE, Bjermer L. Salmeterol and physical performance at -15 degrees C in highly trained nonasthmatic cross-country skiers. *Scand med Sci Sports* 1999; 9:48-52
41. Larsson K, Gavhed D, Larsson L, Holmer I, Jorfelt L, Ohlson P. Influence of a beta2-agonist on physical performance at low temperature in elite athletes. *Med Sci Sports Exerc* 1997; 29: 1631-36.
42. Sandsund M, Sue-Chu M, Helgerud J, Reinertsen RE, Bjermer L. Effect of cold exposure (-15 degree C) and salbutamol treatment on physical performance in elite nonasthmatic cross-country skiers. *Eur J Appl Physiol Occup Physiol* 1998; 77: 297-304.
43. Carlsen KH, Ingjer F, Kirkegaard H, Thyness B. The effect of inhaled salbutamol and salmeterol on lung function and endurance performance in healthy well-trained athletes. *Scand J Med Sci Sports* 1997; 7: 160-65.
44. Carlsen KH, Hem F, Stensrud T, Held T, Herland K, Mowinckel P. Can asthma treatment in sports be doping ? The effect of the rapid onset, long-acting inhaled beta2-agonist formoterol upon endurance performance in healthy well-trained athletes. *Respire Med* 2001; 95: 571-76.
45. Ferrari M, Balestreri F, Baratieri S, Biasin C, Oldani V, LoCascio V. Evidence of the rapid protective effect of formoterol dry-powder inhalation against exercise-induced bronchospasm in athletes with asthma. *Respiration* 2000; 67: 510-3.
46. Debelic M, Hertel G, Konig J. Double-blind cross-over study comparing sodium cromoglycate, reproterol, reproterol plus sodium cromoglycate and, placebo in exercise-induced asthma. *Ann Allergy* 1988; 61: 25-9.
47. Wagner JC. Enhancement of athletic performance with drug. An overview. *Sports Med* 1991; 12: 250-65.
48. Clarkson PM, Thompson HS. Drugs and sport. Research findings and limitations. *Sports Med* 1997; 24: 366-84.
49. Spann C, Winter ME. Effect of clenbuterol on athletic performance. *Ann Pharmacother* 1995; 29: 75-77.