

Litteraturliste til artikel i Dansk Sportsmedicin nr. 3, 2009:

Fysioterapeutisk screening af atleter i Team Danmark

af fysioterapeut Connie Linnebjerg, specialist i muskuloskeletal- og idrætsfysioterapi, Team Danmark

Bennell, K. L., Talbot, R. C., Wajswelner, H., Techovanich, W., Kelly, D. H., & Hall, A. J. (1998). Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion 1. *Aust.J Physiother.* **44**, 175-180.

Bennett, J. E., Reinking, M. F., Pluemer, B., Pentel, A., Seaton, M., & Killian, C. (2001). Factors contributing to the development of medical tibial stress syndrome in high school runners³. *J Orthop.Sports Phys.Ther.* **31**, 504-510.

Blanch P, Conservative management of shoulder pain in swimming. Physical Therapy in sport. Article in Press. 2004

Borsa P A, Timmons, M K, Sauers E L (2003) Scapular-positioning patterns During Humeral Elevation in Unimpaired Shoulders. *Journal of athletic Training*, **38**, (1) 12-17

Brody, D. M. (1982). Techniques in the evaluation and treatment of the injured runner. *Orthop.Clin.North Am* **13**, 541-558.

Clarnette, R. G. & Miniaci, A. (1998). Clinical exam of the shoulder. *Med Sci Sports Exerc.* **30**, S1-S6.

Dennis, R.J., Finch, F., The reliability af musculoskeletal screening tests used in cricket. *Physical Therapy in sport* 9 (2008) 25-33

Gabbe, B. J., Bennell, K. L., Wajswelner, H., & Finch, C. F. Reliability of common lower extremity musculoskeletal screening test. *Physical Therapy in Sport* 5[2], 90-97. 2004.

Greenberger, H. B. & Paterno, M. V. (1995). Relationship of knee extensor strength and hopping test performance in the assessment of lower extremity function. *J Orthop.Sports Phys.Ther.* **22**, 202-206.

Harvey, D. (1998). Assessment of the flexibility of elite athletes using the modified Thomas test. *British Journal of Sports Medicine* **32**, 68-70.

Jarvela, T., Kannus, P., Latvala, K., & Jarvinen, M. (2002). Simple measurements in assessing muscle performance after an ACL reconstruction. *Int.J Sports Med* **23**, 196-201.

Jobe, F. W. & Pink, M. (1993). Classification and treatment of shoulder dysfunction in the overhead athlete. *J Orthop.Sports Phys.Ther.* **18**, 427-432.

Jones, M. A., Stratton, G., Reilly, T., & Unnithan, V. B. (2002). Measurement error associated with spinal mobility measures in children with and without low-back pain. *Acta Paediatr.* **91**, 1339-1343.

Juris, P. M., Phillips, E. M., Dalpe, C., Edwards, C., Gotlin, R. S., & Kane, D. J. (1997). A dynamic test of lower extremity function following anterior cruciate ligament reconstruction and rehabilitation. *J Orthop.Sports Phys.Ther.* **26**, 184-191.

Kea, J., Kramer, J., Forwell, L., & Birmingham, T. (2001). Hip abduction-adduction strength and one-leg hop tests: test-retest reliability and relationship to function in elite ice hockey players. *J Orthop.Sports Phys.Ther.* **31**, 446-455.

Knapik, J. J., Sharp, M. A., Canham-Chervak, M., Hauret, K., Patton, J. F., & Jones, B. H. (2001). Risk factors for training-related injuries among men and women in basic combat training. *Med Sci Sports Exerc.* **33**, 946-954.

McGill, S. M., Childs, A., & Liebenson, C. (1999). Endurance times for low back stabilization exercises: clinical targets for testing and training from a normal database. *Arch.Phys.Med Rehabil.* **80**, 941-944.

Mueller, M. J., Host, J. V., & Norton, B. J. (1993). Navicular drop as a composite measure of excessive pronation

4. *J Am Podiatr.Med Assoc.* **83**, 198-202.

Noyes, F. R., Barber, S. D., & Mangine, R. E. (1991). Abnormal lower limb symmetry determined by function hop tests after anterior cruciate ligament rupture. *American Journal of Sports Medicine* **19**, 513-518.

Ostenberg, A. & Roos, H. (2000). Injury risk factors in female European football. A prospective study of 123 players during one season. *Scand J Med Sci Sports* **10**, 279-285.

Picciano, A. M., Rowlands, M. S., & Worrell, T. (1993). Reliability of open and closed kinetic chain subtalar joint neutral positions and navicular drop test. *J Orthop.Sports Phys.Ther.* **18**, 553-558.

Rose, H. M., Shultz, S. J., Arnold, B. L., Gansneder, B. M., & Perrin, D. H. (2002). Acute Orthotic Intervention Does Not Affect Muscular Response Times and Activation Patterns at the Knee

1. *J Athl.Train.* **37**, 133-140.

Ross, M. D., Langford, B., & Whelan, P. J. (2002). Test-retest reliability of 4 single-leg horizontal hop tests. *J Strength.Cond.Res* **16**, 617-622.

Ruwe, P. A., Gage, J. R., Ozonoff, M. B., & DeLuca, P. A. (1992). Clinical determination of femoral anteversion. A comparison with established techniques. *Journal of Bone and Joint Surgery* **74**, 820-830.

Sell, K. E., Verity, T. M., Worrell, T. W., Pease, B. J., & Wigglesworth, J. (1994). Two measurement techniques for assessing subtalar joint position: a reliability study. *J Orthop.Sports Phys.Ther.* **19**, 162-167.

Tousignant, M., Poulin, L., Marchand, S., Viau, A., & Place, C. (2005). The Modified-Modified Schober Test for range of motion assessment of lumbar flexion in patients with low back pain: a study of criterion validity, intra- and inter-rater reliability and minimum metrically detectable change. *Disabil.Rehabil.* **27**, 553-559.

Watson, L, Balster S M, Finch C, Dalziel R (2005) Measurement of scapula upward rotation: a reliable clinical procedure. *Br J Sports Med* 2005; **39**, 599-603.