

Referencer til artikel i Dansk Sportsmedicin nr. 4, 2010:

"Mechanisms underlying the development of Plantar Fasciitis"

af Scott C. Wearing og Sue L. Hooper.

1. Taunton JE, Ryan MB, Clement DB, McKenzie DC, Lloyd-Smith DR, Zumbo BD. A retrospective case-control analysis of 2002 running injuries. *Br J Sports Med.* 36:95-101;2002.
2. O'Malley MJ, Page A, Cook R. Endoscopic plantar fasciotomy for chronic heel pain. *Foot Ankle Int.* 21(6):505-510;2000.
3. Davis PF, Severud E, Baxter DE. Painful heel syndrome: results of nonoperative treatment. *Foot Ankle Int.* 15(10):531-535;1994.
4. Wearing SC, Smeathers JE, Urry SR, Hennig EM, Hills AP. The pathomechanics of plantar fasciitis. *Sports Med.* 36(7):585-611;2006.
5. Stainsby GD. Pathological anatomy and dynamic effect of the displaced plantar plate and the importance of the integrity of the plantar plate-deep transverse metatarsal ligament tie-bar. *Ann R Coll Surg Engl.* 79(1):58-68;1997.
6. Hicks JH. The foot as a support. *Acta Anat.* 25:34-45;1955.
7. Sarrafian SK. Functional characteristics of the foot and plantar aponeurosis under tibiotalar loading. *Foot Ankle.* 8(1):4-18;1987.
8. Ker RF, Bennett MB, Bibby SR, Kester RC, Alexander RM. The spring in the arch of the human foot. *Nature.* 325(7000):147-149;1987.
9. Kitaoka HB, Ahn TK, Luo ZP, An KN. Stability of the arch of the foot. *Foot Ankle Int.* 18(10):644-648;1997.

10. Huang CK, Kitaoka HB, An KN, Chao EYS. Biomechanical stability of the arch. *Foot Ankle*. 14(6):353-357;1993.
11. Vogler HW, Bojsen-Møller F. Tarsal functions, movement, and stabilization mechanisms in foot, ankle and leg performance. *J Am Podiatr Med Assoc*. 90(3):112-125;2000.
12. Hicks JH. The mechanics of the foot: the plantar aponeurosis and the arch. *J Anat*. 88:25-30;1954.
13. Winson IG, Lundberg A, Bylund C. The pattern of motion of the longitudinal arch. *Foot*. 4:151-154;1994.
14. Bojsen-Møller F. Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push off. *J Anat*. 129:165-176;1979.
15. Carlson RE, Fleming LL, Hutton WC. The biomechanical relationship between the tendoachilles, plantar fascia and metatarsophalangeal joint dorsiflexion angle. *Foot Ankle Int*. 21(1):18-25;2000.
16. Phillips RD, Law EA, Ward ED. Functional motion of the medial column joints of the foot during propulsion. *J Am Podiatr Med Assoc*. 86(10):474-486;1996.
17. Kitaoka HB, Luo ZP, An KN. Effect of the Posterior Tibial tendon on the arch of the foot during simulated weightbearing: biomechanical analysis. *Foot Ankle Int*. 18(1):43-46;1997.
18. Thordarson DB, Schmotzer H, Chon J, Peters J. Dynamic support of the human longitudinal arch: a biomechanical evaluation. *Clin Orthop*. 316:165-172;1995.
19. Sharkey NA, Ferris L, Donahue SW. Biomechanical consequences of plantar fascial release or rupture during gait: part I - disruptions in longitudinal arch conformation. *Foot Ankle Int*. 19(12):812-820;1998.

20. Yang SM, Kayamo J, Norimatsu T, et al. Dynamic changes of the arches of the foot during walking. In: Winter DA, Norman RW, Wells RP, Hayes KC, Patla AE, eds. *Biomechanics IX: International Series on Biomechanics*. Vol 5A. Champaign IL: Human Kinetics; 1985:417-422.
21. Kameyama O, Ogawa R, Okamoto T, Kumamoto M. Electric discharge patterns of ankle muscles during the normal gait cycle. *Arch Phys Med Rehabil*. 71(12):969-974;1990.
22. Kayano J. Dynamic function of medial foot arch. *Nippon Seikeigeka Gakkai Zasshi*. 60(11):1147-1156;1986.
23. Hunt AE, Smith RM, Torode M, Keenan AM. Inter-segment foot motion and ground reaction forces over the stance phase of walking. *Clin Biomech*. 16(7):592-600;2001.
24. Blanc Y, Balmer C, Landis T, Vingerhoets F. Temporal parameters and patterns of the foot roll over during walking: normative data for healthy adults. *Gait Post*. 10(2):97-108;1999.
25. Benjamin M, McGonagle D. The anatomical basis for disease localisation in seronegative spondyloarthropathy at entheses and related sites. *J Anat*. 199(5):503-526;2001.
26. Benjamin M, Ralphs JR. Fibrocartilage in tendons and ligaments - an adaptation to compressive load. *J Anat*. 193(4):481-494;1998.
27. Scott SH, Winter DA. Internal forces of chronic running injury sites. *Med Sci Sports Exerc*. 22(3):357-369;1990.
28. Giddings VL, Beaupre GS, Whalen RT, Carter DR. Calcaneal loading during walking and running. *Med Sci Sports Exerc*. 32(3):627-634;2000.

29. Kitaoka HB, Luo ZP, Growney ES, Berglund LJ, An KN. Material properties of the plantar aponeurosis. *Foot Ankle Int.* 15(10):557-560;1994.
30. Erdemir A, Hamel AJ, Fauth AR, Piazza SJ, Sharkey KA. Dynamic loading of the plantar aponeurosis in walking. *J Bone Joint Surg Am.* 86(3):546-552;2004.
31. Frost HM. Does the anterior cruciate have a modeling threshold? A case for the affirmative. *J Musculoskelet Neuronal Interact.* 2(2):131-136;2001.
32. McGowan CP, Skinner J, Biewener AA. Hind limb scaling of kangaroos and wallabies (superfamily Macropodoidea): implications for hopping performance, safety factor and elastic savings. *J Anat.* 212(2):153-163;2008.
33. Rosager S, Aagaard P, Dyhre-Poulsen P, Neergaard K, Kjaer M, Magnusson SP. Load-displacement properties of the human triceps surae aponeurosis and tendon in runners and non-runners. *Scand J Med Sci Sports.* 12(2):90-98;2002.
34. Biewener AA, Roberts TJ. Muscle and tendon contributions to force, work, and elastic energy savings: a comparative perspective. *Exerc Sport Sci Rev.* 28(3):99-107;2000.
35. Frost HM. On the strength-safety factor (SSF) for load-bearing skeletal organs. *J Musculoskelet Neuronal Interact.* 3(2):136-140;2003.
36. Ker RF, Alexander RM, Bennett MB. Why are mammalian tendons so thick? *J Zool.* 216(2):309-324;1988.
37. Reeser LA, Susman RL, Stern Jr JT. Electromyographic studies of the human foot: experimental approaches to hominid evolution. *Foot Ankle.* 3(6):391-407;1983.
38. Salathe EP, Arangio GP. A biomechanical model of the foot: the role of muscles, tendons, and ligaments. *J Biomech Eng.* 124(3):281-287;2002.
39. Snider MP, Clancy WG, McBeath AA. Plantar fascia release for chronic plantar fasciitis in runners. *Am J Sports Med.* 11(4):215-219;1983.

40. Leach RF, Seavey MS, Salter DK. Results of surgery in athletes with plantar fasciitis. *Foot Ankle*. 7(3):156-161;1986.
41. LeMelle DP, Kisilewicz P, Janis LR. Chronic plantar fascial inflammation and fibrosis. *Clin Podiatr Med Surg*. 7(2):385-389;1990.
42. Schepsis AA, Leach RE, Gorzyca J. Plantar fasciitis: etiology, treatment, surgical results, and review of the literature. *Clin Orthop*. 266:185-196;1991.
43. Tountas AA, Fornasier VL. Operative treatment of subcalcaneal pain. *Clin Orthop*. 332:170-178;1996.
44. Jardé O, Trinquier-Lautard JL, Boulu G, Vives P. Aponévrotomie et lésions dégénératives de l'aponévrose plantaire: apport de l'imagerie par résonance magnétique. *Foot Ankle Int*. 20(9):616 (Abstract);1999.
45. Lemont H, Ammirati KM, Usen N. Plantar fasciitis: a degenerative process (fasciosis) without inflammation. *J Am Podiatr Med Assoc*. 93(3):234-237;2003.
46. Åström M, Rausing A. Chronic Achilles tendinopathy: a survey of surgical and histopathologic findings. *Clin Orthop*. 316:151-164;1995.
47. Kannus P, Józsa L. Histopathological changes preceding spontaneous rupture of a tendon: a controlled study of 891 patients. *J Bone Joint Surg Am*. 73(10):1507-1525;1991.
48. Backman C, Boquist L, Fridén J, Lorentzon R, Toolanen G. Chronic achilles paratenonitis with tendinosis: an experimental model in the rabbit. *J Orthop Res*. 8(4):541-547;1990.
49. Hess GP, Cappiello WL, Poole RM, Hunter SC. Prevention and treatment of overuse tendon injuries. *Sports Med*. 8(6):371-384;1989.

50. Lun V, Meeuwisse W, Vellet D. Spontaneous rupture of plantar fascia. *Clin J Sport Med.* 9(1):48-49;1999.
51. Rolf C, Guntner P, Ericssater J, Turan I. Plantar fascia rupture: diagnosis and treatment. *J Foot Ankle Surg.* 36(2):112-114;1997.
52. Soslowsky LJ, Thomopoulos S, Tun S, et al. Overuse activity injures the supraspinatus tendon in an animal model: a histologic and biomechanical study. *J Shoulder Elbow Surg.* 9(2):79-84;2000.
53. Archambault JM, Herzog W, Hart DA. Acute and chronic tendon overuse in a rabbit model. *23rd Annual Meeting of the American Society of Biomechanics.* Pittsburgh, PA1999.
54. Carpenter JE, Flanagan CL, Thomopoulos S, Yian EH, Soslowsky LJ. The effects of overuse combined with intrinsic or extrinsic alterations in an animal model of rotator cuff tendinosis. *Am J Sports Med.* 26(6):801-807;1998.
55. Rome K. Anthropometric and biomechanical risk factors in the development of plantar heel pain: a review of the literature. *Phys. Ther. Rev.* 2:123-134;1997.
56. Kelly AJ, Wainwright AM, Winson IG. Plantar pressures are normal in plantar fasciitis. *Foot Dis.* 11:129-132;1995.
57. Riddle DL, Pulisic M, Pidcoe P, Johnson RE. Risk factors for plantar fasciitis: a matched case-control study. *J Bone Joint Surg Am.* 85-A(5):872-877;2003.
58. Wearing SC, Smeathers JE, Yates B, Sullivan PM, Urry SR, Dubois P. Sagittal movement of the medial longitudinal arch is unchanged in plantar fasciitis. *Med Sci Sports Exerc.* 36(10):1761-1767;2004.

59. Wearing SC, Smeathers JE, Sullivan PM, Yates B, Urry SR, Dubois P. Plantar fasciitis: are pain and fascial thickness associated with arch shape and loading? *Phys Ther.* 87(8):1002-1008;2007.
60. Wearing SC, Smeathers JE, Yates B, Urry SR, Dubois P. Bulk compressive properties of the heel fat pad during walking: a pilot investigation in plantar heel pain. *Clin Biomech.* 24(4):397-402;2009.
61. Tsai WC, Chiu MF, Wang CL, Tang FT, Wong MK. Ultrasound evaluation of plantar fasciitis. *Scand J Rheumatol.* 29(4):255-259;2000.
62. Falsetti P, Acciai C, Lenzi L, Frediani B. Ultrasound of enthesopathy in rheumatic diseases. *Mod Rheumatol.* 19(2):103-113;2009.
63. Gallego PH, Craig ME, Duffin AC, et al. Association between p.Leu54Met polymorphism at the paraoxonase-1 gene and plantar fascia thickness in young subjects with type 1 diabetes. *Diabetes Care.* 31(8):1585-1589;2008.
64. Wearing SC. Plantar Fasciitis. In: Schleip R, Findley TW, L. C, Huijing PA, eds. *Fascia in Manual Therapy.* Harvard Elsevier; (in press).
65. Maier M, Steinborn M, Schmitz C, et al. Extracorporeal shock wave application for chronic plantar fasciitis associated with heel spurs: prediction of outcome by magnetic resonance imaging. *J Rheumatol.* 27(10):2455-2462;2000.
66. Walther M, Radke S, Kirschner S, Ettl V, Gohlke F. Power Doppler findings in plantar fasciitis. *Ultrasound Med Biol.* 30(4):435-440;2004.
67. Cardinal E, Chhem RK, Beauregard CG, Aubin B, Pelletier M. Plantar fasciitis: sonographic evaluation. *Radiology.* 201(1):257-259;1996.
68. Alfredson H, Forsgren S, Thorsen K, Lorentzon R. In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free

glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee. *J Orthop Res.* 19(5):881-886;2001.

69. Wearing SC, Smeathers JE, Urry SR, Yates B, Sullivan PM, Dubois P. Plantar enthesopathy: thickening of the enthesis is correlated with energy dissipation of the plantar fat pad during walking. *Am J Sports Med.*2010 (in press).
70. Rubin C, Turner AS, Mallinckrodt C, Jerome C, Mcleod K, Bain S. Mechanical strain, induced noninvasively in the high-frequency domain, is anabolic to cancellous bone, but not cortical bone. *Bone.* 30(3):445-452;2002.
71. Antoniou J, Pike GB, Steffen T, et al. Quantitative magnetic resonance imaging in the assessment of degenerative disc disease. *Magn Reson Med.* 40(6):900-907;1998.
72. Järvinen M, Józsa L, Kannus P, Järvinen TL, Kvist M, Leadbetter W. Histopathological findings in chronic tendon disorders. *Scand J Med Sci Sports.* 7(2):86-95;1997.
73. Mokone GG, Schwellnus MP, Noakes TD, Collins M. The COL5A1 gene and Achilles tendon pathology. *Scand J Med Sci Sports.* 16(1):19-26;2006.
74. Posthumus M, September AV, O'Cuinneagain D, van der Merwe W, Schwellnus MP. The COL5A1 gene is associated with increased risk of anterior cruciate ligament ruptures in female participants. *Am J Sports Med.* 37(11):2234-2240 2009.
75. September AV, Cook J, Handley CJ, van der Merwe L, Schwellnus MP, Collins M. Variants within the COL5A1 gene are associated with Achilles tendinopathy in two populations. *Br J Sports Med.* 43(5):357-365;2009.
76. Kalichman L, Hunter DJ. The genetics of intervertebral disc degeneration. Associated genes. *Joint Bone Spine.* 75(4):388-396;2008.
77. Collins M, Raleigh SM. Genetic risk factors for musculoskeletal soft tissue injuries. *Med Sport Sci.* 54:136-149;2009.

78. Solovieva S, Lohiniva J, Leino-Arjas P, et al. COL9A3 gene polymorphism and obesity in intervertebral disc degeneration of the lumbar spine: evidence of gene-environment interaction. *Spine*. 27(23):2691-2696;2002.
79. Allen R, Gross M. Toe flexors strength and passive extension range of motion of the first metatarsophalangeal joint in individuals with plantar fasciitis. *J Orthop Sports Phys Ther*. 33(8):468-478;2003.
80. Kibler WB, Goldberg C, Chandler J. Functional biomechanical deficits in running athletes with plantar fasciitis. *Am J Sports Med*. 19(1):66-71;1991.
81. Chundru U, Liebeskind A, Seidelmann F, Fogel J, Franklin P, Beltran J. Plantar fasciitis and calcaneal spur formation are associated with abductor digiti minimi atrophy on MRI of the foot. *Skeletal Radiol*. 37(6):505-510;2008.
82. D'Ambrogi E, Giurato L, D'Agostino MA, et al. Contribution of plantar fascia to the increased forefoot pressures in diabetic patients. *Diabetes Care*. 26(5):1525-1529;2003.