

Referencer til artikel i Dansk Sportsmedicin nr. 1, 2012:

## Nye målemetoder til at vurdere hofte- og lyskesmerter

af Kristian Thorborg, fysioterapeut, PhD, Artroskopisk Center Amager

### Referencer

1. Nielsen AB, Yde J. Epidemiology and Traumatology of Injuries in Soccer. *Am J Sports Med* 1989; **17**: 803-807.
2. Rutkow IM, Robbins AW. Demographic, Classificatory, and Socioeconomic Aspects of Hernia Repair in the United-States. *Surg Clin North Am* 1993; **73**: 413-426.
3. Van der Waal JM, Bot SDM, Terwee CB, van der Windt DAWM, Bouter LM, Dekker J. The course and prognosis of hip complaints in general practice. *Ann Behav Med* 2006; **31**: 297-308.
4. Bay-Nielsen M, Perkins FM, Kehlet H. Pain and functional impairment 1 year after inguinal herniorrhaphy: A nationwide questionnaire study. *Ann Surg* 2001; **233**: 1-7.
5. Fricker PA, Taunton JE, Ammann W. Osteitis Pubis in Athletes - Infection, Inflammation Or Injury. *Sports Med* 1991; **12**: 266-279.
6. Picavet HSJ, Schouten JSAG. Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC3-study. *Pain* 2003; **102**: 167-178.
7. Lynch SA, Renstrom PAFH. Groin injuries in sport - Treatment strategies. *Sports Med* 1999; **28**:137-44.
8. Ekstrand J, Hilding J. The incidence and differential diagnosis of acute groin injuries in male soccer players. *Scand J Med Sci Sports* 1999; **9**: 98-103.
9. Pettersson M, Lorentzon R. Ice hockey injuries: a 4-year prospective study of a Swedish elite ice hockey team. *Br J Sports Med* 1993; **27**: 251-254.
10. Beck, R. Fodbold er langt vigtigere end vi tror. *Politiken* 2009.
11. Thorborg, K, Serner, A., Petersen, J, Moller Madsen, T, Magnusson, P, and Hölmich, P. Hip adduction and adduction strength profiles in elite soccer players; Implications for clinical evaluation of hip adductor muscle recovery after injury. *Am J Sports Med*. 2011; **39**(1):121-6.
12. Thorninger, R. Lyskesmerter. *Dansk Sportsmedicin* 2004; **2**: 22-26.
13. Jansen JA, Mens JM, Backx FJ, Kolfschoten N, Stam HJ. Treatment of longstanding groin pain in athletes: a systematic review. *Scand J Med Sci Sports* 2008; **18**: 263-274.

14. Caudill P, Nyland J, Smith C, Yerasimides J, Lach J. Sports hernias: a systematic literature review. *Br J Sports Med* 2008; **42**: 954-964.
15. Choi H, McCartney M, Best TM. Treatment of Osteitis Pubis and Osteomyelitis of the Pubic Symphysis in Athletes: A Systematic Review. *Br J Sports Med* 2008; [Epub ahead of print].
16. Machotka Z, Kumar S, Perraton LG. A systematic review of the literature on the effectiveness of exercise therapy for groin pain in athletes. *Sports Med Arthrosc Rehabil Ther Technol* 2009; **1**: 5.
17. Robertson WJ, Kadrmas WR, Kelly BT. Arthroscopic management of labral tears in the hip: a systematic review of the literature. *Clin Orthop Relat Res* 2007; **455**: 88-92.
18. Swan KG, Wolcott M. The athletic hernia - A systematic review. *Clin Orthop* 2007; 78-87.
19. Muschaweck U, Berger L. Minimal Repair technique of sportsmen's groin: an innovative open-suture repair to treat chronic inguinal pain. *Hernia* 2010; **14**: 27-33.
20. Schilders E, Bismil Q, Robinson P, O'Connor PJ, Gibbon WW, Talbot JC. Adductor-related groin pain in competitive athletes. Role of adductor enthesis, magnetic resonance imaging, and enthesal pubic cleft injections. *J Bone Joint Surg Am* 2007; **89**: 2173-2178.
21. Standaert CJ, Manner PA, Herring SA. Expert opinion and controversies in musculoskeletal and sports medicine: femoroacetabular impingement. *Arch Phys Med Rehabil* 2008; **89**: 890-893.
22. Olivo SA, Macedo LG, Gadotti IC, Fuentes J, Stanton T, Magee DJ. Scales to assess the quality of randomized controlled trials: A systematic review. *Phys Ther* 2008; **88**: 156-175.
23. Patrick DL, Burke LB, Powers JH, Scott JA, Rock EP, Dawisha S, O'Neill R, Kennedy DL. Patient-reported outcomes to support medical product labeling claims: FDA perspective. *Value in Health* 2007; **10**: S125-S137.
24. Dawson J, Doll H, Fitzpatrick R, Jenkinson C, Carr AJ. The routine use of patient reported outcome measures in healthcare settings. *BMJ* 2010; **340**: c186.
25. Speight J, Barendse SM. FDA guidance on patient reported outcomes. *BMJ* 2010; **340**: c2921.
26. Timmins N. NHS goes to the PROMS. *Br Med J* 2008; **336**: 1464-1465.
27. Marshall M, Lockwood A, Bradley C, Adams C, Joy C, Fenton M. Unpublished rating scales: a major source of bias in randomised controlled trials of treatments for schizophrenia. *Br J Psychiatry* 2000; **176**: 249-252.

28. Kirkley A, Griffin S, McLintock H, Ng L. The development and evaluation of a disease specific quality of life measurement tool for shoulder instability - The Western Ontario Shoulder Instability Index (WOSI). *Am J Sports Med* 1998; **26**: 764-772.
29. Kirkley A, Alvarez C, Griffin S. The development, and evaluation of a disease-specific quality of life questionnaire for disorders of the rotator cuff: The Western Ontario Rotator Cuff Index. *Clin J Sport Med* 2003; **13**: 84-92.
30. Irrgang JJ, Snyder-Mackler L, Wainner RS, Fu FH, Harner CD. Development of a patient-reported measure of function of the knee. *J Bone Joint Surg Am* 1998; **80**: 1132-1145.
31. Roos EM, Roos HP, Lohmander LS, Ekdahl C, Beynnon BD. Knee injury and osteoarthritis outcome score (KOOS) - Development of a self-administered outcome measure. *JOSPT* 1998; **28**: 88-96.
32. Roos EM, Roos HP, Ekdahl C, Lohmander LS. Knee injury and osteoarthritis outcome score (KOOS) - validation of a Swedish version. *Scand J Med Sci Sports* 1998; **8**: 439-448.
33. Visentini PJ, Khan KM, Cook JL, Kiss ZS, Harcourt PR, Wark JD. The VISA score: an index of severity of symptoms in patients with jumper's knee (patellar tendinosis). Victorian Institute of Sport Tendon Study Group. *J Sci Med Sport* 1998; **1**: 22-28.
34. Martin RL, Irrgang JJ, Burdett RG, Conti SF, Van Swearingen JM. Evidence of validity for the Foot and Ankle Ability Measure (FAAM). *Foot Ankle Int* 2005; **26**: 968-983.
35. Robinson JM, Cook JL, Purdam C, Visentini PJ, Ross J, Maffulli N, Taunton JE, Khan KM. The VISA-A questionnaire: a valid and reliable index of the clinical severity of Achilles tendinopathy. *Br J Sports Med* 2001; **35**: 335-341.
36. Roos EM, Brandsson S, Karlsson J. Validation of the foot and ankle outcome score for ankle ligament reconstruction. *Foot Ankle Int* 2001; **22**: 788-794.
37. Frobell RB, Roos EM, Roos HP, Ranstam J, Lohmander LS. A randomized trial of treatment for acute anterior cruciate ligament tears. *N Engl J Med* 2010; **363**: 331-342.
38. Kongsgaard M, Kovanen V, Aagaard P, Doessing S, Hansen P, Laursen AH, Kaldau NC, Kjaer M, Magnusson SP. Corticosteroid injections, eccentric decline squat training and heavy slow resistance training in patellar tendinopathy. *Scand J Med Sci Sports* 2009; **19**: 790-802.
39. Roos EM, Engstrom M, Lagerquist A, Soderberg B. Clinical improvement after 6 weeks of eccentric exercise in patients with mid-portion Achilles tendinopathy -- a randomized trial with 1-year follow-up. *Scand J Med Sci Sports* 2004; **14**: 286-295.
40. Holmich P, Holmich LR, Bjerg AM. Clinical examination of athletes with groin pain: an intraobserver and interobserver reliability study. *Br J Sports Med* 2004; **38**: 446-451.

41. Arokoski MH, Arokoski JPA, Haara M, Kankaanpaa M, Vesterinen M, Niemitukia LH, Helminen HJ. Hip muscle strength and muscle cross sectional area in men with and without hip osteoarthritis. *J Rheumatol* 2002; **29**: 2185-2195.
42. Cetin C, Sekir U, Yildiz Y, Aydin T, Ors F, Kalyon TA. Chronic groin pain in an amateur soccer player. *Br J Sports Med* 2004; **38**: 223-224.
43. Malliaras P, Hogan A, Nawrocki A, Crossley K, Schache A. Hip flexibility and strength measures: reliability and association with athletic groin pain. *Br J Sports Med* 2009; **43**: 739-744.
44. Holmich P, Uhrskou P, Ulnits L, Kanstrup IL, Nielsen MB, Bjerg AM, Krogsgaard K. Effectiveness of active physical training as treatment for long-standing adductor-related groin pain in athletes: randomised trial. *Lancet* 1999; **353**: 439-443.
45. Engebretsen AH, Myklebust G, Holme I, Engebretsen L, Bahr R. Intrinsic risk factors for groin injuries among male soccer players. A prospective cohort study. *Am J Sports Med* 2010; **38**: 2051-2057.
46. O'Connor DM. Groin injuries in professional rugby league players: a prospective study. *JSports Sci* 2004; **22**: 629-636.
47. Tyler TF, Nicholas SJ, Campbell RJ, Mchugh MP. The association of hip strength and flexibility with the incidence of adductor muscle strains in professional ice hockey players. *Am J Sports Med* 2001; **29**: 124-128.
48. Emery CA, Meeuwisse WH. Risk factors for groin injuries in hockey. *Med Sci Sports Exerc* 2001; **33**: 1423-1433.