

Referencer til artikel i Dansk Sportsmedicin nr. 3/2013:

Training and Bone – from health to injury

af Björn E. Rosengren, Caroline Karlsson, Maria Cöster, Thord von Schewelov, Håkan Magnusson, Magnus K. Karlsson

Clinical and Molecular Osteoporosis Research Unit, Department of Clinical Sciences, Lund University, Department of Orthopedics, Skåne University Hospital, Sweden

1. Cummings SR, Nevitt MC, Browner WS, Stone K, Fox KM, Ensrud KE, et al. Risk factors for hip fracture in white women. Study of Osteoporotic Fractures Research Group. *N Engl J Med.* 1995 Mar 23;332(12):767-73. PubMed PMID: 7862179.
2. Frost HM. A determinant of bone architecture. The minimum effective strain. *Clin Orthop.* 1983 (175):286-92.
3. Turner CH, Burr DB. Basic biomechanical measurements of bone: a tutorial. *Bone.* 1993 Jul-Aug;14(4):595-608. PubMed PMID: 8274302.
4. Rubin CT, Lanyon LE. Regulation of bone formation by applied dynamic loads. *J Bone Joint Surg [Am].* 1984;66(3):397-402.
5. Umemura Y, Ishiko T, Yamauchi T, Kurono M, Mashiko S. Five jumps per day increase bone mass and breaking force in rats. *J Bone Miner Res.* 1997 Sep;12(9):1480-5. PubMed PMID: 9286765. eng.
6. Robling AG, Hinant FM, Burr DB, Turner CH. Improved bone structure and strength after long-term mechanical loading is greatest if loading is separated into short bouts. *J Bone Miner Res.* 2002 Aug;17(8):1545-54. PubMed PMID: 12162508. eng.
7. Robling AG, Burr DB, Turner CH. Recovery periods restore mechanosensitivity to dynamically loaded bone. *J Exp Biol.* 2001 Oct;204(Pt 19):3389-99. PubMed PMID: 11606612. eng.
8. Dettler F, Nilsson J-Å, Karlsson M. A Five Years Exercise Intervention Program in 7-9 Years Old Children Improve Bone Mass and Bone Structure without Increasing the Fracture Incidence. *J Bone and Miner Res.* 2010;25(1).
9. Kannus P, Haapasalo H, Sankelo M, Sievanen H, Pasanen M, Heinonen A, et al. Effect of starting age of physical activity on bone mass in the dominant arm of tennis and squash players. *Ann Intern Med.* 1995;123(1):27-31.
10. Linden C, Alwis G, Ahlberg H, Gardsell P, Valdimarsson O, Stenevi-Lundgren S, et al. Exercise, bone mass and bone size in prepubertal boys: one-year data from the pediatric osteoporosis prevention study. *Scand J Med Sci Sports.* 2007 Aug;17(4):340-7. PubMed PMID: 16774651. eng.
11. Lofgren B, Stenevi-Lundgren S, Linden C, Nilsson J, Karlsson M. A Three Years School Curriculum Based Exercise Program During Early Adolescence Increase Bone Mineral Accrual and Bone Size But Do Not Reduce the Fracture Risk - Fracture Data in 2005 Children in the Prospective Controlled Paediatric Osteoporosis Prevention (POP) Study. *J Bone Miner Res* 2009;24 (Suppl 1). Available at [URL]. Accessed [09,19,2009].
12. Valdimarsson O, Linden C, Johnell O, Gardsell P, Karlsson MK. Daily physical education in the school curriculum in prepubertal girls during 1 year is followed by an increase in bone mineral accrual and bone width--data from the prospective controlled Malmo pediatric osteoporosis prevention study. *Calcified tissue international.* 2006 Feb;78(2):65-71. PubMed PMID: 16467972.
13. Bass SL, Saxon L, Daly RM, Turner CH, Robling AG, Seeman E, et al. The effect of mechanical loading on the size and shape of bone in pre-, peri-, and postpubertal girls: a study in tennis players. *J Bone Miner Res.* 2002;17(12):2274-80.
14. Ward KA, Roberts SA, Adams JE, Mughal MZ. Bone geometry and density in the skeleton of prepubertal gymnasts and school children. *Bone.* 2005 Jun;36(6):1012-8. PubMed PMID: 15876561. eng.
15. Ahlberg HG, Johnell O, Turner CH, Rannevik G, Karlsson MK. Bone loss and bone size after menopause. *N Engl J Med.* 2003;349(4):327-34.
16. Berard A, Bravo G, Gauthier P. Meta-analysis of the effectiveness of physical activity for the prevention of bone loss in postmenopausal women. *Osteoporos Int.* 1997;7(4):331-7.
17. Fiatarone MA, Marks EC, Ryan ND, Meredith CN, Lipsitz LA, Evans WJ. High-intensity strength training in nonagenarians. Effects on skeletal muscle. *Jama.* 1990;263(22):3029-34.
18. Jarvinen TL, Sievanen H, Khan KM, Heinonen A, Kannus P. Shifting the focus in fracture prevention

- from osteoporosis to falls. *Bmj*. 2008 Jan 19;336(7636):124-6. PubMed PMID: 18202065. eng.
19. Nilsson BE, Westlin NE. Bone density in athletes. *Clin Orthop*. 1971;77:179-82.
 20. Karlsson MK. Skeletal effects of exercise in men. *Calcified tissue international*. 2001;69(4):196-9.
 21. Bass S, Pearce G, Bradney M, Hendrich E, Delmas PD, Harding A, et al. Exercise before puberty may confer residual benefits in bone density in adulthood: studies in active prepubertal and retired female gymnasts. *J Bone Miner Res*. 1998;13(3):500-7.
 22. Linden C, Gärdsell P, Ahlborg H, Karlsson M. A School Curriculum Based Exercise Program Increase Bone Mineral Accrual in Boys and Girls During Early Adolescence – Four year data from the POP study (pediatric preventive osteoporotic study) *J Bone Miner Res*. 2005;20(1):75.
 23. Tveit M, Ahlborg H, Rosengren B, Nilsson J-Å, Karlsson M. Bone Loss and Fracture Risk after High Level of Physical Activity at Growth and Young Adulthood *J Bone and Miner Res*. 2010; 25(1).
 24. Clark EM, Ness AR, Tobias JH. Vigorous physical activity increases fracture risk in children irrespective of bone mass: a prospective study of the independent risk factors for fractures in healthy children. *J Bone Miner Res*. 2008 Jul;23(7):1012-22. PubMed PMID: 18570539. Pubmed Central PMCID: 2742075. Epub 2008/06/24. eng.
 25. Tobias JH, Steer CD, Mattocks CG, Riddoch C, Ness AR. Habitual levels of physical activity influence bone mass in 11-year-old children from the United Kingdom: findings from a large population-based cohort. *J Bone Miner Res*. 2007 Jan;22(1):101-9. PubMed PMID: 17014381.
 26. Ducher G, Bass S. Exercise During Growth: Compelling Evidence for the Primary Prevention of Osteoporosis? *BoneKEy*. 2007 June;6(4):171-80.
 27. Macdonald HM, Kontulainen SA, Khan KM, McKay HA. Is a school-based physical activity intervention effective for increasing tibial bone strength in boys and girls? *J Bone Miner Res*. 2007 Mar;22(3):434-46. PubMed PMID: 17181400. eng.
 28. Michel BA, Lane NE, Bjorkengren A, Bloch DA, Fries JF. Impact of running on lumbar bone density: a 5-year longitudinal study. *J Rheumatol*. 1992;19(11):1759-63.
 29. Nordstrom A, Karlsson C, Nyquist F, Olsson T, Nordstrom P, Karlsson M. Bone loss and fracture risk after reduced physical activity. *J Bone Miner Res*. 2005 Feb;20(2):202-7. PubMed PMID: 15647813.
 30. Valdimarsson O, Alborg HG, Duppe H, Nyquist F, Karlsson M. Reduced training is associated with increased loss of BMD. *J Bone Miner Res*. 2005 Jun;20(6):906-12. PubMed PMID: 15883629.
 31. Kontulainen S, Kannus P, Haapasalo H, Heinonen A, Sievanen H, Oja P, et al. Changes in bone mineral content with decreased training in competitive young adult tennis players and controls: a prospective 4-yr follow-up. *Medicine and science in sports and exercise*. 1999;31(5):646-52.
 32. Tveit M, Rosengren BE, Nilsson JA, Ahlborg HG, Karlsson MK. Bone mass following physical activity in young years: a mean 39-year prospective controlled study in men. *Osteoporos Int*. 2013 Apr;24(4):1389-97. PubMed PMID: 22806559.
 33. Karlsson MK, Linden C, Karlsson C, Johnell O, Obrant K, Seeman E. Exercise during growth and bone mineral density and fractures in old age. *Lancet*. 2000 Feb 5;355(9202):469-70. PubMed PMID: 10841134.
 34. Tveit M, Rosengren BE, Nyquist F, Nilsson JA, Karlsson MK. Former male elite athletes have lower incidence of fragility fractures than expected. *Medicine and science in sports and exercise*. 2013 Mar;45(3):405-10. PubMed PMID: 23034643.
 35. Vuori I, Heinonen A, Sievanen H, Kannus P, Pasanen M, Oja P. Effects of unilateral strength training and detraining on bone mineral density and content in young women: a study of mechanical loading and unloading on human bones. *Calcified tissue international*. 1994;55(1):59-67.
 36. Duppe H, Gärdsell P, Johnell O, Ornstein E. Bone mineral density in female junior, senior and former football players. *Osteoporos Int*. 1996;6(6):437-41.
 37. Karlsson MK, Karlsson C, Ahlborg HG, Valdimarsson O, Ljunghall S. The duration of exercise as a regulator of bone turnover. *Calcified tissue international*. 2003 Oct;73(4):350-5. PubMed PMID: 12874708.
 38. Karlsson MK, Hasserijs R, Obrant KJ. Bone mineral density in athletes during and after career: a comparison between loaded and unloaded skeletal regions. *Calcified tissue international*. 1996;59(4):245-8.
 39. Karlsson MK, Johnell O, Obrant KJ. Bone mineral density in weight lifters. *Calcified tissue international*. 1993;52(3):212-5.
 40. Karlsson MK, Johnell O, Obrant KJ. Is bone mineral density advantage maintained long-term in previous weight lifters? *Calcified tissue international*. 1995;57(5):325-8.
 41. Karlsson MK, Johnell O, Obrant KJ. Bone mineral density in professional ballet dancers. *Bone Miner*. 1993;21(3):163-9.
 42. Haapasalo H, Kontulainen S, Sievanen H, Kannus P, Jarvinen M, Vuori I. Exercise-induced bone gain is due to enlargement in bone size without a change in volumetric bone density: a peripheral quantitative computed tomography study of the upper arms of male tennis players. *Bone*. 2000;27(3):351-7.

43. Specker B, Binkley T, Fahrenwald N. Increased periosteal circumference remains present 12 months after an exercise intervention in preschool children. *Bone*. 2004 Dec;35(6):1383-8. PubMed PMID: 15589220.
44. Karlsson MK, Alborg HG, Obrant K, Nyquist F, Lindberg H, Karlsson C. Exercise during growth and young adulthood is associated with reduced fracture risk in old ages. *J Bone Miner Res*. 2002;17 suppl 1:s297.
45. Huddleston AL, Rockwell D, Kulund DN, Harrison RB. Bone mass in lifetime tennis athletes. *Jama*. 1980;244(10):1107-9.
46. Cann CE, Martin MC, Genant HK, Jaffe RB. Decreased spinal mineral content in amenorrheic women. *Jama*. 1984;251(5):626-9.
47. Seeman E, Karlsson MK, Duan Y. On exposure to anorexia nervosa, the temporal variation in axial and appendicular skeletal development predisposes to site-specific deficits in bone size and density: a cross-sectional study [In Process Citation]. *J Bone Miner Res*. 2000;15(11):2259-65.
48. Magnusson HI, Westlin NE, Nyqvist F, Gardsell P, Seeman E, Karlsson MK. Abnormally decreased regional bone density in athletes with medial tibial stress syndrome. *The American journal of sports medicine*. 2001 Nov-Dec;29(6):712-5. PubMed PMID: 11734482.
49. Hurley MV. The role of muscle weakness in the pathogenesis of osteoarthritis. *Rheumatic diseases clinics of North America*. 1999 May;25(2):283-98, vi. PubMed PMID: 10356418.
50. Kujala UM, Kaprio J, Sarna S. Osteoarthritis of weight bearing joints of lower limbs in former elite male athletes. *Bmj*. 1994 Jan 22;308(6923):231-4. PubMed PMID: 8111258. Pubmed Central PMCID: 2539324.
51. Tveit M, Rosengren BE, Nilsson JA, Karlsson MK. Former male elite athletes have a higher prevalence of osteoarthritis and arthroplasty in the hip and knee than expected. *The American journal of sports medicine*. 2012 Mar;40(3):527-33. PubMed PMID: 22130474.
52. Tiderius CJ, Svensson J, Leander P, Ola T, Dahlberg L. dGEMRIC (delayed gadolinium-enhanced MRI of cartilage) indicates adaptive capacity of human knee cartilage. *Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine*. 2004 Feb;51(2):286-90. PubMed PMID: 14755653.
53. Shrier I. Muscle dysfunction versus wear and tear as a cause of exercise related osteoarthritis: an epidemiological update. *British journal of sports medicine*. 2004 Oct;38(5):526-35. PubMed PMID: 15388532. Pubmed Central PMCID: 1724947.