

Referencer til artikel i Dansk Sportsmedicin nr. 1, 2009:

Tung styrketræning og tendinopati - mulig forebyggelse og behandlingstiltag

Af MSc, PhD Mads Kongsgaard, Institut for Idrætsmedicin København, Bispebjerg Hospital

- (1) Maffulli N, Khan KM, Puddu G. Overuse tendon conditions: time to change a confusing terminology. *Arthroscopy* 1998 Nov;14(8):840-3.
- (2) Khan K, Cook J. The painful nonruptured tendon: clinical aspects. *Clin Sports Med* 2003 Oct;22(4):711-25.
- (3) Khan KM, Cook JL, Kannus P, Maffulli N, Bonar SF. Time to abandon the "tendinitis" myth. *BMJ* 2002 Mar 16;324(7338):626-7.
- (4) Riley G. Chronic tendon pathology: molecular basis and therapeutic implications. *Expert Rev Mol Med* 2005 Mar 24;7(5):1-25.
- (5) de Mos M., van EB, Degroot J, Jahr H, van Schie HT, van Arkel ER, et al. Achilles Tendinosis: Changes in Biochemical Composition and Collagen Turnover Rate. *Am J Sports Med* 2007 Sep;35(9):1549-56.
- (6) Fu SC, Chan KM, Rolf CG. Increased Deposition of Sulfated Glycosaminoglycans in Human Patellar Tendinopathy. *Clin J Sport Med* 2007 Mar;17(2):129-34.
- (7) Tallon C, Maffulli N, Ewen SW. Ruptured Achilles tendons are significantly more degenerated than tendinopathic tendons. *Med Sci Sports Exerc* 2001 Dec;33(12):1983-90.
- (8) Scott A, Lian O, Roberts CR, Cook JL, Handley CJ, Bahr R, et al. Increased versican content is associated with tendinosis pathology in the patellar tendon of athletes with jumper's knee. *Scand J Med Sci Sports* 2007 Dec 7.
- (9) Kvist M. Achilles tendon injuries in athletes. *Sports Med* 1994 Sep;18(3):173-201.
- (10) Kettunen JA, Kvist M, Alanen E, Kujala UM. Long-term prognosis for jumper's knee in male athletes. A prospective follow-up study. *Am J Sports Med* 2002 Sep;30(5):689-92.
- (11) Kannus P. Etiology and pathophysiology of chronic tendon disorders in sports. *Scand J Med Sci Sports* 1997 Apr;7(2):78-85.
- (12) Tanaka S, Petersen M, Cameron L. Prevalence and risk factors of tendinitis and related disorders of the distal upper extremity among U.S. workers: comparison to carpal tunnel syndrome. *Am J Ind Med* 2001 Mar;39(3):328-35.
- (13) Shiri R, Viikari-Juntura E, Varonen H, Heliovaara M. Prevalence and determinants of lateral and medial epicondylitis: a population study. *Am J Epidemiol* 2006 Dec 1;164(11):1065-74.
- (14) Lian OB, Engebretsen L, Bahr R. Prevalence of jumper's knee among elite athletes from different sports: a cross-sectional study. *Am J Sports Med* 2005 Apr;33(4):561-7.

- (15) Riley G. Tendinopathy--from basic science to treatment. *Nat Clin Pract Rheumatol* 2008 Feb;4(2):82-9.
- (16) Ker RF, Wang XT, Pike AV. Fatigue quality of mammalian tendons. *J Exp Biol* 2000 Apr;203(Pt 8):1317-27.
- (17) Jozsa L, Balint BJ, Reffy A, Demel Z. Fine structural alterations of collagen fibers in degenerative tendinopathy. *Arch Orthop Trauma Surg* 1984;103(1):47-51.
- (18) Wang XT, Ker RF, Alexander RM. Fatigue rupture of wallaby tail tendons. *J Exp Biol* 1995 Mar;198(Pt 3):847-52.
- (19) Witvrouw E, Bellemans J, Lysens R, Danneels L, Cambier D. Intrinsic risk factors for the development of patellar tendinitis in an athletic population. A two-year prospective study. *Am J Sports Med* 2001 Mar;29(2):190-5.
- (20) Mahieu NN, Witvrouw E, Stevens V, Van TD, Roget P. Intrinsic risk factors for the development of achilles tendon overuse injury: a prospective study. *Am J Sports Med* 2006 Feb;34(2):226-35.
- (21) Narici MV, Roi GS, Landoni L, Minetti AE, Cerretelli P. changes in force, cross-sectional area and neural activation during strength training and detraining of the human quadriceps. *Eur J Appl Physiol* 1989;59:310-9.
- (22) Aagaard P, Andersen JL, Dyhre-Poulsen P, Leffers AM, Wagner A, Magnusson SP, et al. A mechanism for increased contractile strength of human pennate muscle in response to strength training: changes in muscle architecture. *J Physiol* 2001 Jul 15;534(Pt. 2):613-23.
- (23) Hakkinen K, Kallinen M, Izquierdo M, Jokelainen K, Lassila H, Malkia E, et al. Changes in agonist-antagonist EMG, muscle CSA, and force during strength training in middle-aged and older people. *J Appl Physiol* 1998 Apr;84(4):1341-9.
- (24) Sommer HM. The biomechanical and metabolic effects of a running regime on the Achilles tendon in the rat. *Int Orthop* 1987;11(1):71-5.
- (25) Birch HL, McLaughlin L, Smith RK, Goodship AE. Treadmill exercise-induced tendon hypertrophy: assessment of tendons with different mechanical functions. *Equine Vet J Suppl* 1999 Jul;30:222-6.
- (26) Maeda E, Shelton JC, Bader DL, Lee DA. Time dependence of cyclic tensile strain on collagen production in tendon fascicles. *Biochem Biophys Res Commun* 2007 Aug 13.
- (27) Lavagnino M, Arnoczky SP, Tian T, Vaupel Z. Effect of amplitude and frequency of cyclic tensile strain on the inhibition of MMP-1 mRNA expression in tendon cells: an in vitro study. *Connect Tissue Res* 2003;44(3-4):181-7.
- (28) Arnoczky SP, Tian T, Lavagnino M, Gardner K. Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletonally based mechanotransduction mechanism. *J Orthop Res* 2004 Mar;22(2):328-33.

- (29) Arampatzis A, Karamanidis K, Morey-Klapsing G, De MG, Stafilidis S. Mechanical properties of the triceps surae tendon and aponeurosis in relation to intensity of sport activity. *J Biomech* 2007;40(9):1946-52.
- (30) Kubo K, Komuro T, Ishiguro N, Tsunoda N, Sato Y, Ishii N, et al. Effects of low-load resistance training with vascular occlusion on the mechanical properties of muscle and tendon. *J Appl Biomech* 2006 May;22(2):112-9.
- (31) Arampatzis A, Karamanidis K, Albracht K. Adaptational responses of the human Achilles tendon by modulation of the applied cyclic strain magnitude. *J Exp Biol* 2007 Aug 1;210(Pt 15):2743-53.
- (32) Kongsgaard M, Reitelseder S, Pedersen TG, Holm L, Aagaard P, Kjaer M, et al. Region specific patellar tendon hypertrophy in humans following resistance training. *Acta Physiol* 2007 Oct;191(2):111-21.
- (33) Coupe C, Kongsgaard M, Aagaard P, Hansen P, Bojsen-Moller J, Kjaer M, et al. Habitual loading results in tendon hypertrophy and increased stiffness of the human patellar tendon. *J Appl Physiol* 2008 Jun 12.
- (34) Langberg H, Skovgaard D, Asp S, Kjaer M. Time pattern of exercise-induced changes in type I collagen turnover after prolonged endurance exercise in humans. *Calcif Tissue Int* 2000 Jul;67(1):41-4.
- (35) Miller BF, Olesen JL, Hansen M, Dossing S, Cramer RM, Welling RJ, et al. Coordinated collagen and muscle protein synthesis in human patella tendon and quadriceps muscle after exercise. *J Physiol* 2005 Sep 15;567(Pt 3):1021-33.
- (36) Woodley BL, Newsham-West RJ, Baxter GD. Chronic tendinopathy: effectiveness of eccentric exercise. *Br J Sports Med* 2007 Apr;41(4):188-98.
- (37) Young MA, Cook JL, Purdam CR, Kiss ZS, Alfredson H. Eccentric decline squat protocol offers superior results at 12 months compared with traditional eccentric protocol for patellar tendinopathy in volleyball players. *Br J Sports Med* 2005 Feb;39(2):102-5.
- (38) Frohm A, Halvorsen K, Thorstensson A. Patellar tendon load in different types of eccentric squats. *Clin Biomech (Bristol, Avon)* 2007 May 10.
- (39) Kongsgaard M, Aagaard P, Roikjaer S, Olsen D, Jensen M, Langberg H, et al. Decline eccentric squats increases patellar tendon loading compared to standard eccentric squats. *Clin Biomech* 2006 Aug;21(7):748-54.
- (40) Silbernagel KG, Thomee R, Eriksson BI, Karlsson J. Continued sports activity, using a pain-monitoring model, during rehabilitation in patients with achilles tendinopathy: a randomized controlled study. *Am J Sports Med* 2007 Jun;35(6):897-906.
- (41) Frohm A, Saartok T, Halvorsen K, Renstrom P. Eccentric treatment for patellar tendinopathy - a prospective randomised short-term pilot study of two rehabilitation protocols. *Br J Sports Med* 2007 Feb;41(7):Epub.

- (42) Khan KM, Cook JL, Bonar F, Harcourt P, Astrom M. Histopathology of common tendinopathies. Update and implications for clinical management. *Sports Med* 1999 Jun;27(6):393-408.
- (43) Maffulli N, Testa V, Capasso G, Ewen SW, Sullo A, Benazzo F, et al. Similar histopathological picture in males with Achilles and patellar tendinopathy. *Med Sci Sports Exerc* 2004 Sep;36(9):1470-5.
- (44) Andersen LL, Kjaer M, Sogaard K, Hansen L, Kryger AI, Sjogaard G. Effect of two contrasting types of physical exercise on chronic neck muscle pain. *Arthritis Rheum* 2008 Jan 15;59(1):84-91.