

Referencer til artikel i Dansk Sportsmedicin nr. 1, 2011:

"Børn og styrketræning"

af Ph.D. Lone Hansen.

American Academy of Pediatrics. Strength training by children and adolescents. *Pediatrics*, 107: 1470-1472, 2001.

American College of Sports Medicine. ACSM's Guidelines for Exercise Testing and Prescription, 7th ed. Philadelphia, PA: Lippincott, Williams & Wilkins, 2006.

Blimkie CJR, Ramsay J., Sale D., MacDougall D., Smith K et al (1989) Effects of 10 weeks of resistance training on strength development in prepubertal boys. In Oseid and Carlsen (eds) *Children and Exercise XIII*, pp 183-107, Human Kin Publ, Champaign.

British Association of Exercise and Sports Sciences. BASES position statement on guidelines for resistance exercise in young people. *J Sports Sci*, 22:383-390, 2004.

Byrd R., Pierce K., Rielly L., Brady J., (2003). Young weightlifters' performance across time. *Sports Biomech* 2(1): 133-40.

Faigenbaum AD., Zaichkowsky LD., Westcott WL., Micheli LJ., Fehlandt AF., (1993). The effect of twice-a-week strength training program on children. *Pediatr. Exerc Sci* 5:339-346.

Faigenbaum AD., Westcott WL., Loud RI., Long C., (1999). The effects of different resistance training protocols on muscular strength and endurance development in children. *Pediatrics* 104 (1):1-5.

Faigenbaum AD., Milliken LA., Loud RI., Burak BT., Doherty CL., Westcott WL., (2002). Comparison of 1 and 2 days per week of strength training in children. *Res Q Exerc Sport* 73(4):416-424.

Faigenbaum AD., Milliken LA., Westcott WL.,(2003). Maximal strength testing in healthy children. *J Strength Cond Res* 17(1):162-166.

Faigenbaum A., (2007). Resistance training for children and adolescents: Are there health outcomes?. *Am J Lifestyle Med.* 1:90-200.

Faigenbaum AD., Kraemer WJ., Blimkie CJR., Jeffreys I., Michelli LJ., Nitka M. and Rowland TW., (2009). Youth resistance training: updated position statement paper from the national strength and conditioning association. *J Strength Cond Res.* Aug. 23(5 suppl): S60-79.

Faigenbaum AD., Myer GD., (2010). Resistance training among young athletes: Safety, efficacy and injury prevention effects. *Br J Sports Med.* 44:56-63.

- Falk B., Tenenbaum. (1996). The effectiveness of resistance training in children. A meta-analysis. *Sports Med.* 22(3):176-186.
- Falk B., Mor G. (1996). The effects of resistance and martial arts training in 6- to 8-year-old boys. *Pediatr Exerc Sci* 8:48-56.
- Falk B. and Eliakim A., (2003). Resistance training, skeletal muscle and growth. *Pediatric Endocrinol Rev.* 1:120-127.
- Fukanaga T., Funato K., Ikegawa S., (1992). The effects of resistance training on muscle area and strength in prepubescent age. *Ann Physiol Anthropol.* 11(3):357-64.
- Grimm D., Raede H., (1967). Erfolgreiche Anwendung des Kresibetriebs in einer 3. Klasse. *Theorie und Praxis der Körperkultur* 16: 333-342.
- Hamill BP. (1994). Relative safety of weightlifting in weight training. *J Strength Cond Res* 8(1): 53-57.
- Hass CJ., Faigenbaum MS. And Franklin BA., (2001). Prescription of resistance training for healthy populations. *Sports Med.* 31:953-964.
- Malina RM., (2006). Weight training in youth - growth, maturation and safety. An evidence-based review. *Clin J Sport Med.* 16:478-487.
- Nichols DL., Sanborn CP., and Love AM., (2001). Resistance training and bone mineral density in adolescent females. *J Pediatr.* 139:494-500.
- Ozmun JC., Mikesky AE., Surburg PR., (1994). Neuromuscular adaptations following pre-pubescent strength training. *Med Sci Sports Exerc* 26(4):510-514.
- Pikosky M., Faigenbaum A., Westcott W., Rodriguez N., (2002). Effects of resistance training on protein utilization in healthy children. *Med Sci Sport Exerc* 34(5):820-827.
- Ramsay JA., Blimkie CJ., Smith K., Garber S., MacDougall JD., Sale DG., (1990). Strength training effects in prepubescent boys. *Med. Sci Sports Exerc.* 22(5):605-614.
- Rians CB., Weltman A., Cahill BR., Janney CA., Tippet SR., Katch FL., (1987). Strength training for prepubescent males: is it safe? *Am J Sports Med.* 15(5): 483-489.
- Stahle SD., Roberts SO., Davis B., Rybicki LA., (1995). Effect of a 2 versus 3 times per week weight training programme in boys aged 7 to 16. *Med Sci Sports Exerc.* 27:114.
- Vrijens J., (1978). Muscle strength development in the pre- and postpubertal age. *Med Sport* 11:152-158.
- Watts K., Beye P., Siafarikas A., O'Driscoll G., Jones TW., Davis EA., and Green DJ. (2004). Effects of exercise training on vascular function in obese children. *J Pediatr.* 144:620-625.

Weltmann A., Janney C., Rians CB., Strand K., Berg B., Tippit S., Wise J., Cahill BR., Katch FI., (1986). The effects of hydraulic resistance strength training in pre-pubertal males. *Med sci. Sports Exerc* 18(6):629-638.