

Referencer til artikel i Dansk Sportsmedicin nr. 3, 2010:

## "Kliniske mål for fodens mediale længdebue"

af Michael Skovdal Rathleff, Rasmus Østergaard Nielsen, Ole Højgaard Simonsen og Henning Langberg.

Baldvinsson, H., Kleiven, R., & Madsen BF 2006. *Klinisk og radiologisk vurdering af fodstillingen. Bachelorprojekt ved Skodsborg Fysioterapi Skole*

Bennett, J.E., Reinking, M.F., Pluemer, B., Pentel, A., Seaton, M., & Killian, C. 2001. Factors contributing to the development of medial tibial stress syndrome in high school runners. *J.Orthop.Sports Phys.Ther.*, 31, (9) 504-510 available from: PM:11570734

Boling, M.C., Padua, D.A., Marshall, S.W., Guskiewicz, K., Pyne, S., & Beutler, A. 2009. A prospective investigation of biomechanical risk factors for patellofemoral pain syndrome: the Joint Undertaking to Monitor and Prevent ACL Injury (JUMP-ACL) cohort. *Am.J.Sports Med.*, 37, (11) 2108-2116 available from: PM:19797162

Brody, D.M. 1982. Techniques in the evaluation and treatment of the injured runner. *Orthop.Clin.North Am.*, 13, (3) 541-558 available from: PM:6124922

Brushoj, C., Langberg, H., Larsen, K., Nielsen, M.B., & Holmich, P. 2007. Reliability and normative values of the foot line test: a technique to assess foot posture. *J.Orthop.Sports Phys.Ther.*, 37, (11) 703-707 available from: PM:18069142

Buist, I., Bredeweg, S.W., Lemmink, K.A., van, M.W., & Diercks, R.L. 2010. Predictors of running-related injuries in novice runners enrolled in a systematic training program: a prospective cohort study. *Am.J.Sports Med.*, 38, (2) 273-280 available from: PM:19966104

Cowan, D.N., Robinson, J.R., Jones, B.H., Polly, D.W., Jr., & Berrey, B.H. 1994. Consistency of visual assessments of arch height among clinicians. *Foot Ankle Int.*, 15, (4) 213-217 available from: PM:7951957

Dahle, L.K., Mueller, M.J., Delitto, A., & Diamond, J.E. 1991. Visual assessment of foot type and relationship of foot type to lower extremity injury. *J.Orthop.Sports Phys.Ther.*, 14, (2) 70-74 available from: PM:18796826

Fukano, M. & Fukubayashi, T. 2009. Motion characteristics of the medial and lateral longitudinal arch during landing. *Eur.J Appl.Physiol*, 105, (3) 387-392 available from: PM:18998155

Hill, C.L., Gill, T.K., Menz, H.B., & Taylor, A.W. 2008. Prevalence and correlates of foot pain in a population-based study: the North West Adelaide health study. *J.Foot Ankle Res.*, 1, (1) 2 available from: PM:18822153

Jonson, S.R. & Gross, M.T. 1997. Intraexaminer reliability, interexaminer reliability, and mean values for nine lower extremity skeletal measures in healthy naval midshipmen. *J.Orthop.Sports Phys.Ther.*, 25, (4) 253-263 available from: PM:9083944

Joyce, C.J., Arnold, B.L., & Gansneder, B.M. 1999. Differences between navicular drop measures. *J.Athl.Train.*, 34, S71

Kaufman, K.R., Brodine, S.K., Shaffer, R.A., Johnson, C.W., & Cullison, T.R. 1999. The effect of foot structure and range of motion on musculoskeletal overuse injuries. *Am.J.Sports Med.*, 27, (5) 585-593 available from: PM:10496574

Klarlund Pedersen, B. & Saltin, B. 2004. *Fysisk aktivitet: håndbog om forebyggelse og behandling*, Version: 1.0 [i.e. ny udgave] ed. Kbh., Sundhedsstyrelsen, Center for Forebyggelse.

Knapik, J.J., Brosch, L.C., Venuto, M., Swedler, D.I., Bullock, S.H., Gaines, L.S., Murphy, R.J., Tchandja, J., & Jones, B.H. 2010a. Effect on injuries of assigning shoes based on foot shape in air force basic training. *Am.J.Prev.Med.*, 38, (1 Suppl) S197-S211 available from: PM:20117594

Knapik, J.J., Swedler, D.I., Grier, T.L., Hauret, K.G., Bullock, S.H., Williams, K.W., Darakjy, S.S., Lester, M.E., Tobler, S.K., & Jones, B.H. 2009. Injury reduction effectiveness of selecting running shoes based on plantar shape. *J Strength. Cond.Res.*, 23, (3) 685-697 available from: PM:19387413

Knapik, J.J., Trone, D.W., Swedler, D.I., Villasenor, A., Bullock, S.H., Schmied, E., Brockelman, T., Han, P., & Jones, B.H. 2010b. Injury Reduction Effectiveness of Assigning Running Shoes Based on Plantar Shape in Marine Corps Basic Training. *Am.J.Sports Med.* available from: PM:20576837

Korpelainen, R., Orava, S., Karpakka, J., Siira, P., & Hulkko, A. 2001. Risk factors for recurrent stress fractures in athletes. *Am.J.Sports Med*, 29, (3) 304-310 available from: PM:11394600

Larsen, K., Weidich, F., & Leboeuf-Yde, C. 2002. Can custom-made biomechanic shoe orthoses prevent problems in the back and lower extremities? A randomized, controlled intervention trial of 146 military conscripts. *J.Manipulative Physiol Ther.*, 25, (5) 326-331 available from: PM:12072853

Lund PH, Nees S, & Dåsbjerg BL 2007. The new feiss line - a reliabilitystudy. *Lokaliseret den 26.september 2007 på [www.fysiolab.dk](http://www.fysiolab.dk)*.

Mattila, V.M., Sillanpaa, P.J., Salo, T., Laine, H.J., Maenpaa, H., & Pihlajamaki, H. 2010. Can orthotic insoles prevent lower limb overuse injuries? A randomized-controlled trial of 228 subjects. *Scand.J.Med.Sci.Sports* available from: PM:20492587

McPoil, T.G. & Cornwall, M.W. 2005. Use of the longitudinal arch angle to predict dynamic foot posture in walking. *J.Am.Podiatr.Med.Assoc.*, 95, (2) 114-120 available from: PM:15778468

McPoil, T.G. & Cornwall, M.W. 2007. Prediction of dynamic foot posture during running using the longitudinal arch angle. *J.Am.Podiatr.Med.Assoc.*, 97, (2) 102-107 available from: PM:17369315

- McPoil, T.G., Vicenzino, B., Cornwall, M.W., Collins, N., & Warren, M. 2009. Reliability and normative values for the foot mobility magnitude: a composite measure of vertical and medial-lateral mobility of the midfoot. *J.Foot Ankle Res.*, 2, 6 available from: PM:19267907
- Menz, H.B. 1998. Alternative techniques for the clinical assessment of foot pronation. *J.Am.Podiatr.Med.Assoc.*, 88, (3) 119-129 available from: PM:9542353
- Menz, H.B. & Munteanu, S.E. 2005. Validity of 3 clinical techniques for the measurement of static foot posture in older people. *J.Orthop.Sports Phys.Ther.*, 35, (8) 479-486 available from: PM:16187508
- Molgaard, C., Lundbye-Christensen, S., & Simonsen, O. 2010. High prevalence of foot problems in the Danish population: a survey of causes and associations. *Foot (Edinb.)*, 20, (1) 7-11 available from: PM:20382520
- Mueller, M.J., Host, J.V., & Norton, B.J. 1993. Navicular drop as a composite measure of excessive pronation. *J.Am.Podiatr.Med.Assoc.*, 83, (4) 198-202 available from: PM:8473991
- Norkin, C.C. & Levangie, P.K. 1983. *Joint Structure and Function Philadelphia*, Davis.
- Oatis CA 2004. *The Mechanics and Pathomechanics of Human Movement. Lippencott Williams & Wilkins, USA*
- Rathleff, M. S., Nielsen, R. G., & Kersting, U. G. Navicula Drop Test ad modum Brody - does it show how the foot moves under dynamic conditions? *Journal of American Podiatric Medical Association [In-press]*. 2010a.  
Ref Type: Journal (Full)
- Rathleff, M.S., Nielsen, R.G., Simonsen, O., Olesen, C.G., & Kersting, U.G. 2010b. Perspectives for clinical measures of dynamic foot function-reference data and methodological considerations. *Gait.Posture.*, 31, (2) 191-196 available from: PM:19896851
- Razeghi, M. & Batt, M.E. 2002. Foot type classification: a critical review of current methods. *Gait.Posture.*, 15, (3) 282-291 available from: PM:11983503
- Reinking, M.F. 2006. Exercise-related leg pain in female collegiate athletes: the influence of intrinsic and extrinsic factors. *Am.J.Sports Med.*, 34, (9) 1500-1507 available from: PM:16636349
- Sell, K.E., Verity, T.M., Worrell, T.W., Pease, B.J., & Wigglesworth, J. 1994. Two measurement techniques for assessing subtalar joint position: a reliability study. *J.Orthop.Sports Phys.Ther.*, 19, (3) 162-167 available from: PM:8156068
- Taanila, H., Suni, J., Pihlajamaki, H., Mattila, V.M., Ohrankammen, O., Vuorinen, P., & Parkkari, J. 2010. Aetiology and risk factors of musculoskeletal disorders in physically active conscripts: a follow-up study in the Finnish Defence Forces. *BMC.Musculoskelet.Disord.*, 11, (1) 146 available from: PM:20602765
- Wearing, S.C., Hills, A.P., Byrne, N.M., Hennig, E.M., & McDonald, M. 2004. The arch index: a measure of flat or fat feet? *Foot Ankle Int.*, 25, (8) 575-581 available from: PM:15363380

Weiner-Ogilvie, S. & Rome, K. 1998. The reliability of three techniques for measuring foot position. *J.Am.Podiatr.Med.Assoc.*, 88, (8) 381-386 available from: PM:9735624

Willems, T.M., De, C.D., Delbaere, K., Vanderstraeten, G., De, C.A., & Witvrouw, E. 2006. A prospective study of gait related risk factors for exercise-related lower leg pain. *Gait.Posture.*, 23, (1) 91-98 available from: PM:16311200

Williams, D.S., III, McClay, I.S., & Hamill, J. 2001. Arch structure and injury patterns in runners. *Clin.Biomech.(Bristol., Avon.)*, 16, (4) 341-347 available from: PM:11358622

Yates, B. & White, S. 2004. The incidence and risk factors in the development of medial tibial stress syndrome among naval recruits. *Am.J.Sports Med.*, 32, (3) 772-780 available from: PM:15090396