

Hvordan laver man et spørgeskema, der måler rigtigt?

- udvikling af "The Knee Numeric-Entity Evaluation Score (KNEES-ACL)"

Af Jonathan Comins, fysioterapeut, RPT, MSc, PhD^{1, 2}

Michael Krosgaard, overlæge, professor, PhD¹

John Brodersen, speciallæge i almen praksis, forskningslektor, PhD²

1 Idrætskirurgisk Enhed M51, Københavns Universitets Hospital - Bispebjerg

2 Forskningsenhed og Afdeling for Almen Medicin – Københavns Universitet

- (1) Andersen EB. Sufficient statistics and latent trait models. *Psychometrika* 1977;42:69-81.
- (2) Andrich D. Distinctions between assumptions and requirements in measurement in the social sciences. Amsterdam: North-Holland; 1989.
- (3) Andrich D, Hagquist C. Real and Artificial Differential Item Functioning. *Journal of Educational and Behavioral Statistics* 2011;0(0):1-30.
- (4) Andrich D. *Rasch Models for Measurement*. Sage Publications, Inc.; 1988.
- (5) Andrich D. Rating scales and Rasch measurement. *Expert Rev Pharmacoecon Outcomes Res* 2011 October;11(5):571-585.
- (6) Andrich D. Stability of Response, Reliability, and Accuracy of Measurement. *Educational and Psychological Measurement* 1981;41(2):253-262.
- (7) Andrich D, Luo G. Conditional pairwise estimation in the Rasch model for ordered response categories using principal components. *J Appl Meas* 2003;4(3):205-221.
- (8) Birnbaum A. Some latent trait models and their use in inferring an examinee's ability. *Statistical Theories of Mental Test Scores*. Reading, Mass.: Addison-Wesley; 1968.
- (9) Brodersen J, Doward L, Thorsen H, McKenna S. Writing Health-Related Items for Rasch Models - Patient Reported Outcome Scales for Health Sciences: From Medical Paternalism to Patient Autonomy. In: Kreiner S, Christensen KB, Mounir M., eds. *Rasch Related Models and Methods for Health Sciences*. Wiley. In press.; 2012.
- (10) Brodersen J, Meads DM, Kreiner S, Thorsen H, Doward L, McKenna SP. Methodological Aspects of Differential Item Functioning in the Rasch Model. *Journal of Medical Economics* 2007;10(3):309-324.

- (11) Brodersen J, Thorsen H. Consequences of Screening in Breast Cancer (COS-BC): development of a questionnaire. *Scand J Prim Health Care* 2008;26(4):251-256.
- (12) Cavanagh R.F., Kent D.B, Romanoski J.T. An illustrative example of the benefits of using a Rasch analysis in an experimental design investigation. Sydney 2005.
- (13) Christensen KB, Kreiner S. Monte Carlo tests of the Rasch model based on scalability coefficients. *Br J Math Stat Psychol* 2010 February;63(Pt 1):101-111.
- (14) Comins J, Krogsgaard M, Brodersen J. Symptoms, function, and psychosocial consequences in patients with anterior cruciate ligament deficiency: Development of a condition-specific questionnaire. 2012 Jan 23; 2012.
- (15) Comins J, Brodersen J, Krogsgaard M. Treatment for acute anterior cruciate ligament tear. *N Engl J Med* 2010 November 4;363(19):1871-1873.
- (16) Comins J, Brodersen J, Krogsgaard M, Beyer N. Rasch analysis of the Knee injury and Osteoarthritis Outcome Score (KOOS): a statistical re-evaluation. *Scand J Med Sci Sports* 2008 June;18(3):336-345.
- (17) Comins J, Krogsgaard M, Brodersen J. Ensuring Face Validity in Patient-Related Outcome Scores - a matter of content. *The Knee* 2012 November 10.
- (18) Doward LC, McKenna SP. Defining patient-reported outcomes. *Value Health* 2004 September;7 Suppl 1:S4-S8.
- (19) FDA. Guidance for industry: patient-reported outcome measures: use in medical product development to support labeling claims: draft guidance. *Health Qual Life Outcomes* 2006;4:79.
- (20) Frobell RB, Roos EM, Roos HP, Ranstam J, Lohmander LS. A randomized trial of treatment for acute anterior cruciate ligament tears. *N Engl J Med* 2010 July 22;363(4):331-342.
- (21) Godlee F. Outcomes that matter to patients. *BMJ* 2012 November 1.
- (22) Kreiner S. Validity and objectivity: Reflections on the role and nature of Rasch models. *Nordic Psychology* 2007 October;59(3):268-298.
- (23) Krogsgaard MR. [Sports injuries and arthroscopy--from science to clinical treatment]. *Ugeskr Laeger* 2012 March 12;174(11):719-722.
- (24) Krogsgaard MR, Brodersen J, Comins J. A scientific approach to optimal treatment of cruciate ligament injuries. *Acta Orthop* 2011 June;82(3):389-390.
- (25) Masters GN. A Rasch Model for Partial Credit Scoring. *Psychometrika* 1982;47:149-74.
- (26) McKenna SP, Doward LC, Niero M, Erdman R. Development of needs-based quality of life instruments. *Value Health* 2004 September;7 Suppl 1:S17-S21.

- (27) Moksnes H, Snyder-Mackler L, Risberg MA. Individuals with an anterior cruciate ligament-deficient knee classified as noncopers may be candidates for nonsurgical rehabilitation. *J Orthop Sports Phys Ther* 2008 October;38(10):586-595.
- (28) MOSIER CI. A critical examination of the concepts of face validity. *Educ Psychol Meas* 1947;7(2):191-205.
- (29) Patrick DL, Burke LB, Powers JH et al. Patient-reported outcomes to support medical product labeling claims: FDA perspective. *Value Health* 2007 November;10 Suppl 2:S125-S137.
- (30) Rasch G. *Probabilistic models for some intelligence and attainment tests*. Chicago: The University of Chicago Press; 1960.
- (31) Sloan JA, Halyard MY, Frost MH, Dueck AC, Teschendorf B, Rothman ML. The Mayo Clinic manuscript series relative to the discussion, dissemination, and operationalization of the Food and Drug Administration guidance on patient-reported outcomes. *Value Health* 2007 November;10 Suppl 2:S59-S63.
- (32) Snyder-Mackler L, Risberg MA. Who needs ACL surgery? An open question. *J Orthop Sports Phys Ther* 2011 October;41(10):706-707.
- (33) Spindler KP, Warren TA, Callison JC, Jr., Secic M, Fleisch SB, Wright RW. Clinical outcome at a minimum of five years after reconstruction of the anterior cruciate ligament. *J Bone Joint Surg Am* 2005 August;87(8):1673-1679.
- (34) Streiner DL, Norman G.R. *Health Measurement Scales - a practical guide to their development and use*. Oxford: Oxford University Press; 2008.
- (35) Terwee CB, Bot SD, De Boer MR et al. Quality criteria were proposed for measurement properties of health status questionnaires. *J Clin Epidemiol* 2007 January;60(1):34-42.
- (36) Thorsen H, McKenna S, Tennant A, Holstein P. Nottingham health profile scores predict the outcome and support aggressive revascularisation for critical ischaemia. *Eur J Vasc Endovasc Surg* 2002 June;23(6):495-499.
- (37) Turk DC, Dworkin RH, Burke LB et al. Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations. *Pain* 2006 December 5;125(3):208-215.
- (38) Wittenberg RH, Oxfort HU, Plafki C. A comparison of conservative and delayed surgical treatment of anterior cruciate ligament ruptures. A matched pair analysis. *Int Orthop* 1998;22(3):145-148.